



March 28, 2001

Administrator
U.S. Environmental Protection Agency
P.O. Box 1473 Merrifield, VA 22116
Attn.: Chemical Right-To-Know Program

Dear Administrator:

Enclosed is the Test Plan for Cyclic Anhydrides being submitted for the High Production Volume (HPV) Challenge Program on behalf of the member companies of the IHF Cyclic Anhydrides Committee.

The Consortium Registration Number is:

If you have any questions concerning the test plan or robust summary information presented for the five anhydrides, please contact Henry Trochimowicz, Sc.D. at 302/239-4725 (Fax: 302/239-9618; E-mail: hjtroch@aol.com).

Sincerely,

Janice M. O'Polka
Project Manager

RECEIVED
OPPT CRIC

2001 MAR 30 PM 1:22

MR 46079

AR 201-12983A



**HIGH PRODUCTION VOLUME (HPV)
CHALLENGE PROGRAM**

TEST PLAN FOR CYCLIC ANHYDRIDES

Submitted to the U.S. EPA

By

The Industrial Health Foundation, Inc. Cyclic Anhydrides Committee

Consortium Registration Number:

March, 2001

RECEIVED
OPPT CBIC
2001 MAR 30 PM 1:22

A NONPROFIT ORGANIZATION FOR THE ADVANCEMENT OF HEALTHFUL WORKING CONDITIONS

34 PENN CIRCLE WEST . PITTSBURGH, PA 15206-3612
TOLL FREE: 1-877-71 1-4443 • (412) 363-6600 • FAX: (412) 363-6605 • E-mail: admin@ihfinccorp.com

Visit us at <http://ihfinccorp.com>

MEMBER COMPANIES OF THE CYCLIC ANHYDRIDES COMMITTEE:

Buffalo Color Corporation

Dixie Chemical Company, Inc.

Lindau Chemicals, Inc.

Lonza Group
(formerly Lonza Inc./Lonza Spa)

Milliken Chemical

CYCLIC ANHYDRIDE TEST PLAN

Table of Contents

Introduction	1
1. Category Justification.	2
A. Structural Similarity	2
B. Chemical/Physical Similarity	3
C. Toxicological Similarity.	3
2. Physicochemical Properties.	5
A. Melting Point..	5
B. Boiling Point..	6
C. Vapor Pressure	7
D. Partition Coefficient	8
E. Water Solubility	9
F. pH/pKa	10
3. Environmental Fate	11
4. Ecotoxicity.	12
5. Toxicity.	12
A. Acute Toxicity	12
B. Repeat Dose	12
C. Genotoxicity (Bacterial Point Mutation and Chromosomal Aberration).	13
D. Reproductive/Developmental Toxicity	13
6. Summary..	14
Matrix of Applicable Data and Proposed Testing	15

INTRODUCTION

"Cyclic anhydrides" are being submitted as a category of chemicals under the Environmental Protection Agency's (EPA) High Production Volume (HPV) Chemical Challenge program by the Industrial Health Foundation Cyclic Anhydride Committee. Hereafter within this document, the term "cyclic anhydrides" will be used to denote only the anhydrides contained within this group.

Cyclic anhydrides are primarily "destructive industrial use" chemicals. They are not sold in consumer markets. Aside from occupational exposure, exposure of the general public would be limited to accidental release. Cyclic anhydrides are mainly used as curing agents (also called hardeners) in epoxy resin systems. The cured resins characteristically have high chemical resistance as well as good electrical insulation capacity and adhesive strength. Some of these chemicals are also used in the manufacture of alkyd and polyester resins.

As will be discussed in greater detail in the following test plan, anhydrides within the group have similar structure and physicochemical properties. Low molecular weight carboxylic acid anhydrides are also recognized to have similar toxicological properties. Of the more extensively studied anhydrides, phthalic anhydride is most structurally similar to the cyclic anhydrides. Within this report a toxicological analogy will be made to phthalic anhydride.

Available data indicates that the cyclic anhydrides have a low acute toxicity, are respiratory and skin sensitizers and can cause corrosive eye damage. Since these compounds are considered to be sensitizers at low concentrations, exposures in the workplace are controlled to lowest possible levels.

Relying on factors specified in EPA's guidance document on "Development of Chemical Categories in the HPV Challenge Program, in which the use of chemical categories is encouraged, the IHF Cyclic Anhydride Committee concluded that hexahydrophthalic anhydride (CAS No.: 85-42-7), methylhexahydrophthalic anhydride (CAS No.: 25550-51-0; 571 I-02-99), tetrahydrophthalic anhydride (CAS No.: 85-43-8), methyltetrahydrophthalic anhydride (CAS No.: 34090-76-I ; 11070-44-3), and nadic methyl anhydride (CAS No.: 25134-21-8) constitute a "chemical category".

Two of the chemicals within the group, MHHPA and MTHPA are on the EPA's 1994 Inventory Update Rule (IUR) List of HPV Additions and are not formally included in the current HPV Challenge Program. One of the two chemicals, MTHPA has been sponsored by Hitachi Chemical Co. under the ICCA Program. As test data for MTHPA (CAS No.: 11070-44-3) is or will soon be available through the ICCA Testing Program, testing is not planned for MTHPA.


1. CATEGORY JUSTIFICATION

A. Structural Similarity


A key factor supporting grouping these chemicals in a single category is their structural similarity. All chemicals in this group contain a bicyclic ring structure with the carboxylic acid anhydride group as the single reactive and toxic functional moiety. This reactive moiety hydrolyses to form the diacid in water and is responsible for the irritant as well as sensitizing properties of the cyclic anhydrides. Two of the five bicyclic ring structures are saturated and three are partially unsaturated. One of the saturated and two of the partially unsaturated are substituted methyl derivatives. While the compounds with substituted methyl groups may exist as several isomeric forms (with different CAS numbers), there is no reason to believe this should affect the toxic potential of these compounds in any way.

Structures for chemicals within the chemical category are presented below.

- Hexahydrophthalic anhydride (CAS No.: 85-42-7), referred to in this report as HHPA




- Methylhexahydrophthalic anhydride (CAS No.: 25550-51-0) referred to in this report as MHHPA




DI-Me

- Tetrahydrophthalic anhydride (CAS No.: 85-43-8), referred to in this report as THPA




- Methyltetrahydrophthalic anhydride (CAS No.: 34090-76-1 ; 11070-44-3), referred to in this report as MTHPA



DI-Me

A. Structural Similarity (continued)

- Nadic methyl anhydride (CAS No.: 25134-21-8), referred to in this report as NMA.



III-Me

Note: DI-Me indicates that for NMA, MTHPA, and MHHPA, the location of the methyl group may vary.

B. Chemical and Physical Similarity

The physicochemical properties of cyclic anhydrides suggest many general similarities. Molecular weight of anhydrides within the group varies from 152 to 178 classifying these compounds as low molecular weight (< 500) carboxylic acid anhydrides. All have relatively high boiling points and low vapor pressures indicating that vapor concentrations would be low under ambient conditions. All of the compounds will hydrolyze rather easily in water to produce the corresponding diacid. This indicates that solubility of the hydrolysis products and resultant pH is expected to be most relevant in the assessment of potential toxicity. Solubility data for the compounds themselves (which has been stated to be “low” or “negligible” on data sheets) is not of much value in the assessment of potential toxicological hazards. Aside from acidic pH resulting from hydrolysis to the diacid, other physical properties do not suggest a potential for environmental or toxicity concerns.

C. Toxicological Similarity

Review of existing published and unpublished test data for the cyclic anhydride category confirms similarity in toxicity. Workers exposed to cyclic anhydrides have occasionally developed conjunctivitis, skin sensitization, urticaria, rhinitis, occupational asthma, and an eczematous response. Respiratory sensitization is a major concern for all cyclic anhydrides.

All of the cyclic anhydrides which have been tested, as well as the closely related analogue, phthalic anhydride (PA), have a low acute toxicity. Oral LD50s for cyclic anhydrides in rats are relatively high, ranging from 958 to 4460 mg/kg. Dermal toxicity is also relatively low as indicated by dermal LD50s of > 2000 mg/kg in rabbits for HHPA, MTHPA, and NMA. These values suggest a low order of acute oral and dermal toxicity. The four-hour inhalation LC50 for HHPA in rats is cited as > 1100 mg/m³ (aerosol). In a limited inhalation study on NMA, a concentration of 750 mg/m³ for 4 hours was lethal to 8 of 10 rats.

As demonstrated by animal testing and human experience, anhydrides within the group can cause mild to moderate skin irritation and moderate to severe eye irritation with possible corrosive effects. For European labeling purposes (Directive 67/548/EEC, Annex I) risk (R) phrases for HHPA, MHHPA, MTHPA, and THPA are: “Risk of serious damage to the eyes. May cause sensitization by inhalation and skin contact.” Studies in rabbits indicate that NMA also causes severe eye irritation with the possibility of permanent damage. HHPA, MTHPA, THPA, and NMA all have caused mild skin irritation in rabbits. In one test, NMA was found to be moderately irritating and no studies were found indicating potential irritant effects MHHPA may have on the skin.

C. Toxicological Similarity (continued)

Similarities in toxicity of cyclic anhydrides has been recognized by the EPA's Office of Pollution Prevention and Toxics by designation of "anhydrides, carboxylic acid" as a valid chemical category for PMN review purposes. Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers. Documentation for sensitization was available for all anhydrides within the group with the exception of NMA. Based on analogy to other acid anhydrides and verbal industrial reports, NMA is expected to produce sensitization.

Allergic response to cyclic anhydrides is triggered by the ability of cyclic anhydrides to bind covalently to free amino groups; in particular, to the amino group of lysine. An immunologic hapten-protein conjugate is formed which stimulates specific immunological responses. PA and cyclic anhydrides have been associated with occupational asthma.

Similarity in mechanism for allergic response to cyclic anhydrides within this group is also demonstrated by cross-sensitization potential. Workers sensitized to MTHPA, HHPA or HHPA/MHHPA have shown marked cross-reactivity to MTHPA-human serum albumin (HAS), HHPA-HAS, and MHHPA-HAS as demonstrated by radioallergosorbent test (RAST), RAST inhibition and skin prick tests. Ring structure, methyl group substituents and position of double bonds may all affect sensitizing potential of cyclic anhydrides; however differences are quantitative rather than qualitative. —

2. PHYSICOCHEMICAL PROPERTIES

The majority of the physicochemical properties for the cyclic anhydrides were taken from various manufacturer's MSDSs and product specification sheets. In most cases full documentation of the test value including information concerning methodology and GLP was unavailable. In the following tables, testing is proposed for values which are not in good agreement with each other as well as for values that appear to be taken from a single undocumented source. As MTHPA is currently sponsored under the ICCA Program, testing is not planned for this compound.

A. Melting Point

CAS No.	Melting Point	Reference	Year	Remarks
25134-21-8 NMA	< 18 °C	Buffalo Color Corp.	1995; 1997	None
85-42-7 HHPA	34-38 °C	Dixie Chemical Co., Inc.	1999	None
	35-36 °C	Hawley's Chemical Dictionary, 1 2 th Ed.	1993	Glassy solid @ 35-36 °C.
	35-37 °C	Buffalo Color Corp.	1996	None
	37 °C	Lonza Inc./Lonza Spa	1995	None
85-43-8 THPA	99-101 °C	Hawley's Chemical Dictionary, 12 th Ed.	1993	Solidification point.
	99 °C	Dixie Chemical Co., Inc.	1998	None
	100 °C	EUCLID Data Sheet	1994	None
	102 °C (minimum)	Lonza Inc/Lonza Spa	1995	None
34090-76-1 (11070-44-3) MTHPA	- 38 °C	Lonza Inc./Lonza Spa/ Hedset Data Sheet	1997/1995	Value is for mixture of 3- and 4-MTHPA. No decomposition or sublimation.
25550-51-0 MHHPA (571 1-02-99)	- 30 °C	Lonza Inc./Lonza Spa	1995	None

Summary:

Values were obtained from manufacturer's MSDSs, product specification sheets, and a standard reference source. Values for HHPA and THPA appear to be in good internal agreement. Limited data exists for the three remaining anhydrides – NMA, MTHPA, and MHHPA. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. Years stated are for references rather than date of test value determination.

Reliability:

[2] Valid with Restrictions (Klimisch)

Test recommendations: Testing is recommended for NMA to determine a specific value. Testing to determine the melting point for MTHPA and MHHPA is not recommended as these anhydrides have melting points well below CI °C (OECD, Section 3.4 *Guidance for Meeting the SIDS Requirements*, Part 2.1, OECD Guideline 102).

B. Boiling Point

CAS No.	Boiling Point	Reference	Year	Remarks
25134-21-8 NMA	140 °C	Buffalo Color Corp.	1997	Approximate value @ 10 mm Hg.
	140 °C	Lonza Inc./Lonza Spa	1998	Approximate value @ 10 mm Hg.
85-42-7 HHPA	158 °C	Buffalo Color Corp.	1996	@ 17 mm Hg
	158 °C	Hawley's Chemical Dictionary, 1 2 th Ed.	1993	@ 17 mm Hg
	144 °C	Dixie Chemical Co., Inc.	1999	@ 17 mm Hg
	296 °C	Lonza Inc./Lonza Spa	1995	@ 760 mm Hg.
	285 °C	Buffalo Color Corp.	1996	None
85-43-8 THPA	195 °C	Lonza Inc./Lonza Spa	1995	@ 50 mm Hg
	195 °C	EUCLID Data Sheet	1994	@ 1013 hPa. No decomposition.
34090-76-I (11070-44-3) MTHPA	150 °C	HEDSET Data Sheet	1995	@ 13.5 hPa. No decomposition
	> 585 °F > 307.5%	Lindau Chemicals, Inc.	1995	ASTM D-86
	283 °C	Dixie Chemical Co., Inc.	2000	@ 760 mm Hg
	290 °C	Lonza Inc./Lonza Spa	1996	@ 760 mm Hg
25550-51-o (571 I-02-99) MHHPA	290 °C	Lonza Inc./Lonza Spa	1995	None

Summary:

Values were obtained from manufacturer's MSDSs, product specification sheets, IUCLID document, and a standard reference source. The variance in boiling points for MTHPA are probably due to different mixtures of 3- and 4-MTHPA produced by the manufacturers. As MTHPA is currently sponsored under the ICCA, testing will not be proposed for this substance. Boiling point for HHPA was obtained from a reliable reference source. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. The date given reflects the reference year rather than the date of test value determination.

Reliability:

[2] Valid with Restrictions (Klimisch)

Test Recommendations:

Testing to obtain boiling point values using OECD Test Guideline 103 are recommended for THPA and MHHPA and NMA.

C. Vapor Pressure

CAS No.	Vapor Pressure	Reference	Year	Remarks
25134-21-8 NMA	0.1 mm Hg	Buffalo Color Corp.	Not Available	@ 20 °C
	1.5 mm Hg	Buffalo Color Corp.	Not Available	Estimated @ 30 °C
	5.0 mm Hg	Buffalo Color Corp.; Lonza Inc./Lonza Spa	1997; 1998	@ 120 °C
85-42-7 HHPA	0.0068	Dixie Chemical Co., Inc.	1999	@ 25 °C
	0.25 mm Hg	Buffalo Color Corp.	1996	Calculated @ 30 °C
	5.0 mm Hg	Buffalo Color Corp.	Not Available	@ 106 °C
	10.0 mm Hg	Buffalo Color Corp.	1996	@ 125 °C
85-43-8 THPA	< 0.01 mm Hg	Dixie Chemical Co., Inc.	1998	@ 20 °C, calculated
	0.01 mm Hg	Lonza Inc./Lonza Spa	1995	@ 20 °C
	50.0 mm Hg	Dixie Chemical Co., Inc.	1998	@ 195 °C
34090-76-1 (11070-44-3) MTHPA	0.002 mm Hg	Dixie Chemical Co., Inc.	2000	@ 25 °C
	< 0.01 mm Hg	Lonza Inc./Lonza Spa	1995	@ 20 °C
	6.8 hPa	HEDSET Data Sheet	1995	@ 137 °C
	136 hPa	HEDSET Data Sheet	1995	@ 216 °C
25550-51-0 (5711-102-99) MHHPA	5.01 mm Hg	Lonza Inc./Lonza Spa	1995	@ 137 °C
	3.00 mm Hg	Dixie Chemical Co., Inc.	1999	@ 145 °C
<p>Summary:</p> <p>Values were obtained from manufacturer's MSDSs, product specification sheets, technical data sheets, and IUCLID documents. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. The date given reflects the reference year rather than the date of test value determination. Values indicate that airborne vapor concentrations would be extremely low and aside from sensitization or respiratory irritation are unlikely to pose an acute or chronic inhalation hazard.</p>				
<p>Reliability:</p> <p>[2] Valid with Restrictions (Klimisch)</p>				
<p>Test Recommendations: None recommended.</p>				

D. Partition Coefficient

CAS No.	Partition Coefficient	Reference	Year	Remarks
25134-21-8 NMA	1.35 \pm 0.03	Buffalo Color Corp.	1997	Octanol/Water Partition Coefficient; Log ₁₀ Pow; P = 22.4
85-42-7 HHPA	1.33 \pm 0.14	Buffalo Color Corp.	1996	Octanol/Water Partition Coefficient; Log ₁₀ Pow; P = 21.4
85-43-8 THPA	0.02	Hansch, L.	1989"	Calculated value from EUCLID data sheet.
34090-76-1 (11070-44-3) MTHPA	No Data			
25550-51-0 (57 11-02-99) MHHPA	No Data			
<p>Summary:</p> <p>Values taken from manufacturer's occupational and environmental health hazard summaries and IUCLID Documents. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. With the exception of the value for THPA, the date given reflects the reference year rather than the date of test value determination.</p>				
<p>Reliability:</p> <p>[4] Not assignable</p>				
<p>Test Recommendations:</p> <p>Octanol/water partition coefficients will be calculated for all of the cyclic anhydrides with the exception of MTHPA in accordance with accepted methods.</p>				

E. Water Solubility

CAS No.	Water Solubility	Reference	Year	Remarks
25134-21-8 NMA	No Data			Hydrolyzes to diacid in water
85-42-7 HHPA	No Data			Hydrolyzes to diacid in water
85-43-8 THPA	10 g/L	EUCLID Data Sheet	1994	@ 20 °C. Slowly hydrolyzes to diacid in water.
34090-76-1 (11070-44-3) MTHPA	176.4 g/L	HEDSET Data Sheet	1995	@ 10°C
25550-51-o (571 1-02-99) MHHPA	36 g/L	HEDSET Data Sheet	1995	@ 20 °C
	< 0.1%	Lonza Inc./Lonza Spa	1995	Hydrolyzes to diacid in water.

Summary:

Values were cited in manufacturer's MSDSs and IUCLID Documents. Cyclic anhydrides characteristically hydrolyze to form diacid in water. Solubility of the anhydrides is stated in various manufacturers' reference sources as low or negligible; however quantitative data is limited. High values are believed to reflect the solubility of the diacids following hydrolysis of the anhydride. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. The date given reflects the reference year rather than the date of test value determination.

Reliability:

[4] Not assignable

Test Recommendations:

Water solubility testing for all members of the group with the exception of MTHPA in accordance with OECD Test Guideline 105 is proposed for all anhydrides in the group due to inadequacy of available data.

F. pH/pKa

CAS No.	pH/pKa	Reference	Year	Remarks
25134-21-8 NMA	pH = 2.4	FDRL Report 6771 F	1981	pH of 10% aqueous solution. By analogy to HHPA, pH of diacid was estimated at approximately 4
85-42-7 HHPA	pH = 4.2.	FDRL Report	1981	Calculated value for 1% aqueous mixture.
85-43-8 THPA	pH = 2.1	EUCLID Data Sheet	1994	pH at 20 °C and 10 g/L.
34090-76-1 (11070-44-3) MTHPA	No Data			
25550-51-0 (571 I-02-99) MHHPA	No Data			
<p>Summary:</p> <p>Values taken from manufacturer's MSDSs and IUCLID Documents. Characteristically anhydrides will hydrolyze to form the diacid in water. Information concerning purity of test material, test method, GLP, and year of testing was unavailable for the majority of the test data. The date given reflects the reference year rather than the date of test value determination.</p>				
<p>Reliability:</p> <p>[3] Not valid</p>				
<p>Test Recommendations:</p> <p>As these substances hydrolyze to form the diacid in water, testing for acids including dissociation constants (pKa) and conditions under which they were measured (OECD Guideline 112) will be conducted for all members of the group with the exception of MTHPA.</p>				

3. ENVIRONMENTAL FATE

Fate and Transport Characteristics

Limited environmental fate and distribution data is available for the five anhydrides. Due to the reactive nature of the carboxylic acid anhydride group, these chemicals are expected to hydrolyze in moist soils rather than adsorb to the soil. This conclusion is based on analogy to another closely-related cyclic anhydride, phthalic anhydride (PA). By analogy to PA, the cyclic anhydrides would not be expected to bioconcentrate in aquatic organisms, adsorb to sediments, or evaporate if released into water.

Hydrolysis is expected to be a major fate process based on an estimated half-life for PA of 1.5 minutes. Release into the atmosphere is expected to result in direct photolysis via ring addition of photochemically produced hydroxyl radicals. The vapor-phase half-life of PA in the atmosphere is approximately 32 days. Limited photolysis data on HHPA suggests that it has an even shorter atmospheric half-life of about 7 days.

Biodegradation studies following OECD guidelines (i.e.: Method 301) have been conducted on four category members: HHPA, MHPA, THPA, and NMA. Results showed no evidence of biodegradation potential for MHPA and THPA as measured by BOD. NMA showed no biodegradation by BOD but did show a 1.0% biodegradation as measured by total organic carbon (TOC). HHPA also exhibited slight biodegradation potential (1.0-6%) as measured by BOD. All four cyclic anhydrides were hydrolyzed to their respective corresponding acids.

Due to limited environmental fate data available for members of the cyclic anhydride group, the IHF Cyclic Anhydride Committee proposes to complete environmental fate information for HHPA, MHPA, THPA, and NMA by testing or modeling. As MTHPA is currently sponsored under the ICCA, testing is not proposed for this substance. The following tests are proposed:

NAME	ENDPOINT			
	PHOTODEGRADATION	HYDROLYSIS (stability in water)	TRANSPORT & DISTRIBUTION	BIODEGRADATION
HHPA	Data available ¹	OECD 111 (or estimation method)	Fugacity-based modeling	Data available*
MHPA	OECD 113 (or estimation model)	OECD 111 (or estimation method)	Fugacity-based modeling	Data Available*
THPA	OECD 113 (or estimation model)	OECD 111 (or estimation method)	Fugacity-based modeling	Data Available ²
NMA	OECD 113 (or estimation model)	OECD III (or estimation method)	Fugacity-based modeling	Data Available ²

¹ Test data (computer modeling) is acceptable without restrictions (Klimisch Criteria = 1); however study details were unavailable.

² Tests similar to OECD Method 301A have been conducted and appear adequate (Klimisch Criteria = 2).

4. ECOTOXICITY

HHPA and THPA were tested using adequate (Klimisch Criteria = 2) test methods for freshwater fish, *Leuciscus idis* (DIN 38412, Teil 15), *Daphnia magna*, (DIN 38412, Teil 1 1), and algae, *Scenedesmus subspicatus*, (Algenwachstums-Hemmtest nach UBA, 1984). MHPA, HHPA and THPA showed 48-hour LC50s in fish of > 500 mg/L, 600 mg/L and 610 mg/L, respectively. THPA and HHPA showed 24-hour EC50s of 103 and 117 mg/L in *Daphnia*, and 72-hour EC50s of 95.6 and 65.7 mg/L for algae, respectively. Under the ICCA program, MHPA was reported to have a 96-hour LC50 of 100 mg/L (Ricefish), a 48-hour EC50 of 130 mg/L for *Daphnia*, and a 72-hour EC50 of 79 mg/L for algae. HHPA and THPA had 24-hour EC50s of 103 and 117 mg/L in *Daphnia* and 72-hour LC50s of 95.6 and 65.7 mg/L in algae respectively. These results suggest a low order of ecotoxicity and are in agreement with similar studies indicating that phthalic anhydride also has a low order of ecotoxicity. As ecotoxicity data is available for three of the five anhydrides within the group, the IHF Cyclic Anhydride Committee plans to conduct ecotoxicity testing on one member of the group, NMA. NMA will be tested for acute toxicity to *Pimephales promelas* (OECD Method 203), *Daphnia magna* (OECD Method 202) and *Selenastrum capricornutum* (OECD Method 201) to provide more definitive ecotoxicity data to better evaluate the cyclic anhydride category.

5. TOXICITY

A. Acute

Acute oral mammalian toxicity data is available for all five anhydrides within the group. Some dermal and inhalation data were also available. Oral LD50s in rats ranged from 958 to 4460 mg/kg reflecting a low order of acute oral toxicity. Dermal absorption toxicity was also low as indicated by dermal LD50s of > 2000 mg/kg in rabbits for HHPA, MHPA, and NMA. Oral toxicity data on a comparable anhydride (PA) showed LD50s ranging from 800 to 4000 mg/kg in rats. Acute inhalation testing, available for two members of the group also indicates a relatively low order of acute toxicity. The four-hour LC50 for HHPA in rats is cited as > 1100 mg/m³ (aerosol) which was the maximum attainable concentration under optimal conditions. In a limited study on NMA, a concentration of 750 mg/m³ for 4 hours was lethal to 8 of 10 rats. It is important to note that respiratory sensitization is a major aspect of all cyclic anhydrides and probably occurs at exposure levels at or below 1 ppm. Any acute inhalation toxicity testing would most likely have to be conducted at concentrations of 1 to 2 orders of magnitude above those associated with respiratory sensitization. Since oral toxicity data are available for all five chemicals, dermal toxicity data are available for three chemicals in the group, and inhalation data is available for two members of the group, the IHF Committee believes that no additional acute toxicity testing is warranted. Available data is believed to be adequate to properly evaluate the cyclic anhydride group.

B. Repeated Dose

MHPA, under the ICCA program, has been tested by oral gavage using OECD Method No. 422. Rats were dosed subchronically at 0, 30, 100 and 300 mg/kg/day. On terminal sacrifice, both male and female rats dosed at 300 mg/kg exhibited evidence of irritation at the site of administration, the forestomach. Less severe indications of irritation were evident in male rats at 100 mg/kg. No irritation was evident in males dosed at 30 mg/kg/day or females dosed at 30 mg/kg/day or 100 mg/kg/day. Aside from transient salivation in the animals dosed at 300 mg/kg/day, no adverse effects on body weight, food consumption, or other clinical signs were apparent. At termination, blood chemistry determinations indicated decreased total cholesterol and BUN as well as increased triglyceride level and adrenal weight in males. Aside from irritation at the site of administration, no specific target organ for MHPA was elucidated. The NOELs were reported to be 30 mg/kg/day for males and 100 mg/kg/day for females. Other than the preceding subchronic data for MHPA, adequate repeated-dose studies have not been conducted for the remaining cyclic anhydrides within this group.

B. Repeated Dose (continued)

Phthalic anhydride, a comparable analogue, has been the subject of an NCI lifetime oral bioassay in rats ($\leq 15,000$ ppm in the diet) and mice ($\leq 32,692$ ppm in the diet). Under this chronic dosing regimen, there were decreased body weight gains at all doses but no adverse effect on survival. PA was not carcinogenic in either species. Since data reflecting a low order of repeated exposure toxicity is available for one member of the category (MTHPA), and for a comparable analog (phthalic anhydride), repeated dose testing for one additional anhydride is expected to adequately characterize the subchronic toxicity potential within the proposed chemical category. The IHF Cyclic Anhydride Committee proposes to sponsor repeat dose testing for one category member, NMA. NMA will be tested in a 90-day oral toxicity study (OECD #408) in rats in conjunction with a one-generation reproductive study (OECD #415). NMA has been selected as the test compound on the basis of acute toxicity data suggesting that NMA is expected to be more toxic than other members of the group in repeat dose testing. If physicochemical, ecotoxicity, and environmental fate data for other members provide results which indicate these chemicals may differ significantly relative to mechanism of toxic action, then additional mammalian toxicity testing will be considered.

C. Genotoxicity (in vitro – Bacterial-Point mutation and Chromosomal aberration)

Using the standard Ames Test procedures as cited in OECD Test Guideline number 471, HHPA, THPA, and MTHPA were negative in *Salmonella typhimurium*, with and without metabolic activation. Phthalic anhydride, a closely-related analogue, also tested negative in the Ames Test with and without metabolic activation. *In vitro* chromosomal aberration studies conducted for PA were negative and results for MTHPA were equivocal.

Since gene mutation assays have been conducted on three of the five category members and *in vitro* chromosomal aberration studies have been conducted on MTHPA as well as the closely-related PA, additional testing for two chemicals will be conducted. The IHF Cyclic Anhydrides Committee proposes to conduct a chromosomal aberration assay (OECD Method 473) for HHPA and both a point mutation assay (Ames Test; OECD Method 471) and a chromosomal aberration assay (OECD Method 473) for NMA. Data from these assays combined with existing genotoxicity test data for MTHPA, THPA, HHPA, and PA are expected to provide sufficient data to adequately assess *in vitro* genotoxicity for the anhydrides as a category.

D. Reproductive/Developmental Toxicity

A combined screening study (OECD Method No. 422) was conducted to assess repeated dose toxicity, reproductive performance and developmental toxicity potential on MTHPA. Results from this study indicates that at doses less than or equal to 300 mg/kg/day, MTHPA had no adverse effects on reproductive performance in either male or female rats and no indications of developmental toxicity were evident. Limited studies on other carboxylic acid anhydrides (i.e.: phthalic anhydride) raise the question of possible reproductive toxicity concerns. To adequately characterize the cyclic anhydrides category, the IHF Cyclic Anhydrides Committee proposes to conduct an oral gavage one-generation reproduction study (OECD #415) in conjunction with a 90-day study on one of the category members, NMA (See Section B. above). The committee proposes these studies as opposed to conducting a screening study (OECD 422) which only provides limited information on chronic toxicity potential, reproductive performance and developmental toxicity potential. If any suggestion of developmental toxicity (i.e.: malformations, implantation difficulties, etc.) is noted in the reproductive study, a developmental toxicity study (OECD #414) will be conducted on that material. Coupled with similar data on MTHPA from the ICCA Program, the preceding proposed studies on NMA are expected to provide sufficient data to characterize the cyclic anhydrides category relative to reproductive/developmental toxicity potential.

7. SUMMARY

The following tests and/or computer modeling are planned for the Cyclic Anhydride Category:

- HHPA (84-42-7): Partition coefficient and water solubility/pKa; hydrolysis and transport/distribution; an *in vitro* chromosomal aberration study
- MHHPA (25550-51-O): Boiling point, partition coefficient, and water solubility/pKa; photodegradation, hydrolysis and transport/distribution
- THPA (85-43-8): Boiling Point, partition coefficient, and water solubility/pKa; photodegradation, hydrolysis and transport/distribution
- MTHPA (34090-76-I): Testing is not planned for this compound as MTHPA (11070-44-3) is currently sponsored under the ICCA program.
- NMA (255134-21-8): Melting point, boiling point, partition coefficient and water solubility/pKa; photodegradation, hydrolysis and transport/distribution; acute fish, acute Daphnia and acute algae; 90-day oral toxicity study in conjunction with a one-generation reproduction study, *in vitro* point mutation and *in vitro* chromosomal aberration study
Note: Additional developmental toxicity studies will be conducted if developmental toxicity is suggested by the reproductive study.

As this test plan was developed, the IHF Cyclic Anhydride Committee considered the animal usage required and has, therefore, recommended only a minimal amount of animal testing – one combined 90-day toxicity study in conjunction with a one-generation reproduction study. By keeping the number of animals used in the proposed test plan to a minimum, the committee feels that animal welfare concerns have been properly addressed.

TEST PLAN

MATRIX OF APPLICABLE DATA ON CYCLIC ANHYDRIDE CATEGORY DATA AND PROPOSED TESTING						
TEST	CATEGORY MEMBER; CAS NUMBER					REMARKS
	HHPA; 85-42-7	MHHPA; 25550-51-0 (5711-02-99)	THPA; 85-43-8	MTHPA; 34090-76-1 (11070-44-3)	NMA; 25134-21-8	
PHYSICOCHEMICAL PROPERTIES						
Melting Point	A	A	A	(A)	T	
Boiling Point	A	T	T	(A)	T	
Vapor Pressure	A	A	A	A	A	
Partition Coefficient	T	T	T	(A)	T	
Water Solubility	T	T	T	(A)	T	Solubility and pKa testing will be done
ENVIRONMENTAL FATE						
Photodegradation	A	T	T	(A)	T	
Hydrolysis	T	T	T	(A)	T	
Transport and Distribution	T	T	T	(A)	T	
Biodegradation	A	A	A	A	A	
ECOTOXICITY						
Acute Fish	A	C	A	A	T	
Acute Daphnia	A	C	A	A	T	
Algae	A	C	A	A	T	
MAMMALIAN TOXICITY						
Acute Toxicity	A	A	A	A	A	
Repeated Dose	C	C	C	A	T	
Genotoxicity (in vitro – bacterial)	A	C	A	A	T	
Genotoxicity (in vitro – non-bacterial)	T	C	C	A	T	
Reproductive/Developmental Toxicity	C	C	C	A	T	

A – Endpoint requirement fulfilled with adequate existing data

C – Endpoint requirement fulfilled using Category Approach

T – Endpoint requirement to be fulfilled by testing.

(A) – Endpoint requirement to be fulfilled with data from ICCA Test Program.

HIGH PRODUCTION VOLUME (HPV)

CHALLENGE PROGRAM

APPENDIX 1

ROBUST SUMMARIES

FOR

**HEXAHYDROPHthalic ANHYDRIDE
(85-42-7)**

RECEIVED
OPTIC
2001 MAR 30 AM 10:34

Submitted to the U.S. EPA

BY

The Industrial Health Foundation, Inc. Cyclic Anhydride Committee

Consortium Registration Number:

March, 2001

CONTENTS

	<u>Page</u>
1. SUBSTANCE INFORMATION	1
2. PHYSICAL-CHEMICAL DATA	2
A. MELTING POINT	2
B. BOILING POINT	2
C. VAPOR PRESSURE	3
D. PARTITION COEFFICIENT n-OCTANOL/WATER	4
E. WATER SOLUBILITY	4
F. pH VALUE, pKa VALUE	5
3. ENVIRONMENTAL FATE AND PATHWAYS	5
A. PHOTODEGRADATION	5
B. STABILITY IN WATER	5
C. BIODEGRADATION	6
D. BOD, COD OR RATIO BOD ₅ /COD	7
E. TRANSPORT AND DISTRIBUTION	7
4. ECOTOXICITY	7
A. ACUTE/PROLONGED TOXICITY TO FISH	7
B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA	8
C. TOXICITY TO AQUATIC PLANTS - ALGAE	8
5. TOXICITY	8
A. ACUTE TOXICITY	8
(1) ACUTE ORAL TOXICITY	8
(2) ACUTE INHALATION TOXICITY	9
(3) ACUTE DERMAL TOXICITY	9
B. REPEATED DOSE TOXICITY (GENERAL)	10
C. GENETIC TOXICITY IN VITRO	11
(a) BACTERIAL TEST	11
(b) NON-BACTERIAL IN VITRO TEST	11
D. REPRODUCTIVE TOXICITY	11
E. DEVELOPMENTAL TOXICITY	11
6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY ...	11
A. CORROSIVENESS/IRRITATION	11
(1) SKIN IRRITATION/CORROSION	11
(2) EYE IRRITATION/CORROSION	12
B. SKIN SENSITIZATION	13
C. RESPIRATORY SENSITIZATION	13
7. REFERENCES	15

1. SUBSTANCE INFORMATION


CAS-Number 85-42-7

Name Hexahydrophthalic Anhydride

Name 1,3-Isobenzofurandione, Hexahydro-

EINECS-Number 201-604-g

Molecular Formula $C_8H_{10}O_3$
Structural Formula



Other Chemical Identity/Synonyms 1,2-Cyclohexanedicarboxylic acid anhydride; Hexahydro- 1,3-isobenzofurandione; Hexahydrophthalic acid anhydride; HHPAA

Molecular Weight 154.16

Type of Substance element []; inorganic []; natural substance []; organic [X]; organometallic []; petroleum product []

Physical State (at 20°C and 1.013 hPa)
 gaseous []; liquid []; solid [X]

Purity 99% weight/weight (approx.)

SYNONYMS 1,3-Isobenzofurandione, Hexahydro; Cyclohexane- 1,2-Dicarboxylic Anhydride; HHPAA

IMPURITIES

CAS No: 1687-30-5 (610-09-3, cis-; 2305-23-o trans-)

EINECS No: 216-872-2

Name: Hexahydrophthalic Acid

Value: 0.5% (maximum weight/weight)

Sulfated ash 0.1% max.; potassium 50 ppm max.; sodium 50 ppm max.; traces of tetrahydro PAA, hexahydrobenzoic acid and mixed anhydride

Reference: Buffalo Color Corp., 1/96

2. PHYSICAL-CHEMICAL DATA

A. MELTING POINT

(a)

Value: 35-37 °C
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Sublimation: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corporation, MSDS 127-2639 (9/1 1196)

(b)

Value : 34-38 °C
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Sublimation: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Company, Inc., HHPA MSDS, 06/06/99

(c)

Value: 37 °C
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Sublimation: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, HHPA MSDS, 3/14/95

B. BOILING POINT

(a)

Value: 158 °C
Pressure: 17mmHg
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference : Buffalo Color Corporation, MSDS 127-2639 (9/11/96)

B. BOILING POINT (continued)

(b)

Value: 144 °C
Pressure: 17 mm Hg
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Company, Inc., HHPA MSDS, 06/06/99

(c)

Value: 285 °C
Pressure: No Data
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corporation, 1/96

(d)

Value: 296 °C
Pressure: 760 mm Hg
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, HHPA MSDS, 03/14/95

C. VAPOR PRESSURE

(a)

Value: 5.00 mm Hg
Temperature: 106 °C
Method: calculated ☐; measured ☐; ? ☒
No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corporation, Tech Data Sheet "Anhydrides"

(b)

Value: 10.00 mm Hg
Temperature: 125 °C
Method: calculated ☐; measured ☐ ? ☒
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corporation, MSDS 127-2639 (9/1 1196)

C. VAPOR PRESSURE

(c)

Value: 0.25 mm Hg
Temperature: 30 °C
Method: calculated [X]; measured []? []
GLP: Yes [] No []? [X]
Reliability: [2] Valid with restrictions
Remarks: No Data
Reference: Buffalo Color Corporation, 1196

(d)

Value: 0.0068 mm Hg
Temperature: 25 °C
Method: calculated [X]; measured []? []
GLP: Yes [] No [X] ? []
Reliability: [2] Valid with restrictions
Remarks: No Data
Reference: Dixie Chemical Company, Inc., HHPA MSDS, 06/06/99

D. PARTITION COEFFICIENT $\log_{10} \text{Pow}$

Log., Pow: 1.33 ± 0.14
Temperature: No Data
Method: calculated []; measured []? [X]
GLP: Yes [] No []? [X]
Reliability: [2] Valid with restrictions
Remarks: Octanol/Water Partition Coefficient, P=2 1.4
Reference: Fuhr, A.B./R.J. Dugan, 1982; Buffalo Color Corporation, MSDS 127-2639 (9111196)

E. WATER SOLUBILITY

Value: Insoluble - Hydrolyzes
Temperature: No Data
Description: Miscible[]; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility []; Of very low solubility []; Not soluble [X]
Method: No Data
GLP: Yes [X] No []? []
Reliability: [2] Valid with restrictions
Remarks: Hydrolyzes in water or dilute alkali to form diacid or salt. Slowly hydrolyzes in dilute acids. Miscible with benzene, toluene, acetone, carbon tetrachloride, and chloroform. Soluble in methanol.
Reference: Buffalo Color Corporation, MSDS 127-2639 (9/11/96)

F. pH VALUE, pKa VALUE

pH Value: 4.2
Concentration: 1% aqueous mixture
Temperature: No Data
Method: Calculated
GLP: Yes ☐ No ☐ ? ☒
pKa value: No Data
Reliability: [2] Valid with restrictions
Remarks: No Data
Reference: FDRL Report, January 28, 1981

3. ENVIRONMENTAL FATE AND PATHWAYS

A. PHOTODEGRADATION

Type: Air
Rate Constant: $0.45 \times 10^{-11} \text{ cm}^3/\text{molecule/sec}$
Degradation: 50% after 7.2 days
Method: Calculated. AOP Computer Programs, Vers. 1.53; Syracuse Research Center, 1994
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: Half-life refers to 12-hour days
Reference: IUCLID Data Sheet, 619194. Atkinson, R., Atkinson, R., *A Structure-Activity Relationship for the Estimation of Rate Constants for the Gas-Phase Reactions of OH Radicals With Organic Compounds*, Int. J. Chem. Kinet 19:799-828, 1987.

B. STABILITY IN WATER

Type: Field trial ☐; Laboratory ☐; Other ☒
Half life: 1 minute at 20 °C and pH=5.2
Degradation: Not specified quantitatively
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Test substance: No Data
Reliability: [3] Valid with restrictions
Remarks: Hexahydrophthalic anhydride will hydrolyze to diacid upon contact with water.
Reference: Buffalo Color Corporation, 1196

C. BIODEGRADATION

(a)

Type: Aerobic ☒; Anaerobic ☐
Inoculum: Activated Sludge
Concentration: 10 mg/L related to DOC
Medium: No Data
Degradation: 9.7% after — hours
Kinetics: No Data
Method: OECD Guideline 303A
Test Substance: No Data
Results: Mean retention time of 3 hours
Test Conditions: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [1] Valid without restrictions
Remarks: None
Reference: IUCLID Data Sheet, 6/9/94. Huels, *Unpublished Data*

(b)

Type: Aerobic ☒; Anaerobic ☐
Inoculum: Activated Sludge
Chemical concentration: 100 mg/L
Medium: No Data
Degradation: No Data
Kinetics: No Data
Method: *Method for Testing the Biodegradability of Chemical Substances by Microorganisms*, stipulated in *Testing Methods for New Chemical Substances* (July 13, 1974). Essentially the same test as in OECD Guidelines for Testing of Chemicals for Ready Biodegradability OECD Guideline 303A: Modified MITI Test (I) Guideline #301C, July 17, 1992.
Test Substance: HHPA — 100% purity
Results: Biodegradation (as measured by BOD) ranged from 1-6% at the end of the 28 day period in the three replicate tests. The percentage TOC ranged from 1-5% in the three test solutions at the end of the 28 day period. At the termination of cultivation, insoluble compound was not observed and sludge growth was not observed.
Test Conditions: Concentration of test substance was 100 mg/L. Concentration of activated sludge was 30 mg/l (as the concentration of suspended solid). Volume of test solution was 300 ml. Cultivation temperature was 25°C and cultivation duration was 28 days. Change in BOD was measured continuously. The pH of the test solutions (sludge and test substance) was adjusted to pH 7 initially and was pH 7 at the end of the cultivation period. The pH of the control vessel (test substance dissolved in water) was 3.9 at the end of the 28 day period.
GLP: Yes ☒ No ☐ ? ☐
Reliability: [1] Valid without restrictions
Remarks: The percent biodegradation in the three test solutions as measured by BOD and TOC were as follows: Vessel 1 — 1% BOD, 5% TOC; Vessel 2 — 2% BOD, 1% TOC; and Vessel 3 — 6% BOD, 3% TOC. At the end of cultivation, insoluble compound and sludge growth were not observed in the test vessels. In the control solution, insoluble compound was not observed at the end of the 28 day period.
Reference: Karume Laboratory, Chemicals Evaluation and Research Institute, Japan. *Unpublished Report*; May, 1985.

D. BOD₅, COD OR RATIO BOD/COD

ThOD: 1.87 g O₂/g
Method: Calculated
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corp., 1/96

E. TRANSPORT AND DISTRIBUTION

No data.

4. ECOTOXICITY

A. ACUTE/PROLONGED TOXICITY TO FISH

(a)

Type of Test: Static
Species/strain: *Oryzias latipes* (Ricefish)
Exposure period: 48 Hours
Results: LC₅₀: > 500 mg/L (estimated by Duodoroff Method)
Temperature: 25 ± 2 °C
Method: Japanese Industrial Standard (JIS K 0102-1998-71), *Testing Methods for Industrial Waste Water/Acute Toxicity Test with Fish*.
Test Substance: Cis- 1,3-cyclohexanedicarboxylic acid @ 98% purity.
Analytical Monitoring: Yes [X]; No []
Remarks: Test conditions: Volume of test water was 4 L. Temperature of water was 2.5 ± 2 °C. Concentration of dissolved oxygen was 7.3 mg/L initially and final concentration was 4.3 mg/L. Ten (10) fish were used per level.
GLP: Yes [X] No [] ? []
Reliability: [2] Valid with restrictions
Reference: Karume Laboratory, Chemicals Evaluation and Research Institute, *Unpublished Report*, December 1985.

(b)

Type of Test: Static
Species/strain: *Leuciscus idus*, (Freshwater fish)
Exposure period: 48 Hours
Results: LC₅₀: 660 mg/L
Temperature: No Data
Method: Bestimmung der Wirken von Wasserinhaltsstoffe Auf Fischz, DIN 38412 Teilij
Test Substance: No Data
Analytical Monitoring: Yes []; No [X]
Remarks: None
GLP: Yes [] No [X] ? []
Reliability: [2] Valid with restrictions
Reference: IUCLID Data Sheet, 6/9/94. Huels, *Unpublished Data*, 1983.

B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA

Type of Test: Static
 Specie&train: *Daphnia magna*
 Exposure period: 24 Hours
 Results: EC₅₀ = 103 mg/L
 Temperature: No Data
 Method: Daphnien-Kurzzeit Test, DIN 38412, Teel 11, Bestimmung der Wirkung von Wasserunhalt-
 Staffe auf Kleinkrebse
 Test Substance: No Data
 Analytical Monitoring: Yes ☐; No ☒
 Remarks : None
 GLP: Yes ☐ No ☒ ? ☐
 Reliability: [2] Valid with restrictions
 Reference: IUCLID Data Sheet, 619194. Huels-Bericht, A.W., 147; *Unpublished Data*, 1988.

C. TOXICITY TO AQUATIC PLANTS - ALGAE

Type of Test: No Data
 Species/strain: *Scenedesmus suspicatus*, (Algae)
 Exposure period: 72 Hours
 Results: EC₅₀: 54 mg/L; EC₁₀: 95.6 mg/L; EC₀₁: 169.4 mg/L
 Temperature: No Data
 Method: Algeniruchstums-Hemin Test nach UBA, 1984
 Test Substance: No Data
 Analytical Monitoring: No Data
 Remarks: Endpoint - growth rate
 GLP: Yes ☐ No ☒ ? ☐
 Reliability: [2] Valid with restrictions
 Reference: IUCLID Data Sheet, 6/9/94. Huels-Bericht, A.W., 147; *Unpublished Data*, 1988.

5. TOXICITY

A. ACUTE TOXICITY

(1) ACUTE ORAL TOXICITY

(a)

Type: LD₀ ☐; LD₁₀₀ ☐; LD₅₀ ☒; LD₀₁ ☐; Other ☐
 Species/strain: Sprague-Dawley rats
 Value: 2700-2800 mg/kg (estimated, see Remarks)
 Method: 5 rats/sex at doses of 1500, 2027, 2739, 3700 and 5000 mg/kg. Body weights were checked on days
 1, 8 and 15. Daily observations and gross autopsies were conducted.
 GLP: Yes ☒ No ☐ ? ☐
 Test substance: 25% TS (w/w) in corn oil slurry
 Remarks: Decreased activity and/or urinary incontinence were seen at all doses. Survivors had normal weight
 gains for 14 days post exposure. Mortality rates were 0 of 5 males and 1 of 5 females at 1500
 mg/kg; 0 of 5 males and 0 of 5 females at 2027 mg/kg; 2 of 5 males and 3 of 5 females at 2739
 mg/kg; 5 of 5 males and 4 of 5 females at 3700 mg/kg; and 5 of 5 males and 5 of 5 females at 5000
 mg/kg. Necropsy was unremarkable in survivors. Decedents showed blood-like liquid, primarily in
 the intestines.
 Reliability: [2] Valid with restrictions
 Reference: Food and Drug Research Laboratory, 198 1.

(1) ACUTE ORAL, TOXICITY (continued)

(b)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rats
Value: 3307 mg/kg
Method: No Data
GLP: Yes [X] No [] ? []
Test substance: No Data
Remarks: Moderately toxic. Limited data on doses and number of animals
Reliability: [3] Not valid
Reference: Oral report from Syracuse University Research Institute, 1980.

(2) ACUTE INHALATION TOXICITY

Type: LC₀ []; LC₁₀₀ []; LC₅₀ [X]; LCL₀ []; Other []
Species/strain: Sprague-Dawley rats
Exposure time: 4 hours
Value: LC₅₀ > 1100 mg/m³ (aerosol)
Method: A group of five(5) male and five(5) female rats were exposed for 4 hours to an aerosol of an 80% (w/w) solution in ethanol – a maximum attainable concentration. Rats were observed daily. Body weights were taken on days 3, 4, 5, 8 and 15 post-exposure. Necropsies were done at termination.
GLP: Yes [X] No [] ? []
Test substance: 80% (w/w) solution in ethanol
Remarks: All rats survived and necropsies were unremarkable. Decreased activity was seen during exposure and body weights were depressed during the first week, followed by recovery in second week. Particle size was a geometric mean size of 5.8 µm (GSD = 2.2). Seventy-five (75) percent of the particles were less than 10 µm indicating a respirable aerosol.
Reliability: [2] Valid with restrictions
Reference: Food and Drug Research Laboratory, Study No. 677 1 H, 1981.

(3) ACUTE DERMAL TOXICITY

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: New Zealand albino rabbits
Value: LD₅₀ > 2000 mg/kg
Method: Limit test (OECD modification). Five male and five female rabbits were dosed with the solid material at 2000 mg/kg body weight on abraded skin, under a porous gauze dressing, for 24 hours and then observed for 14 days. Body weights were taken on days 1, 8 and 15 and gross autopsies were done at termination.
GLP: Yes [X] No [] ? []
Test substance: Solid material – unknown purity
Remarks : No rabbits died and no gross signs were seen except minimal irritation on day 2. Gross autopsy at termination was unremarkable.
Reliability: [2] Valid with restrictions
Reference: Food and Drug Research Laboratory Study No. 677 1 H, 198 1.

B. REPEATED DOSE TOXICITY (General)

(a)

Species/strain: Mice
Sex: Female ☐; Male ☐; Male/Female ☐; No Data ☒
Route of Administration: Intraperitoneal
Exposure period: 8 days
Frequency of treatment: No Data
Post exp. observation period: No Data
Dose: 500 mg/kg/day
Control group: Yes ☐; No ☐; No Data ☒; Concurrent no treatment ☐; Concurrent vehicle ☐;
Historical ☐
NOEL: No Data
LOEL: No Data
Results: 6 out of 6 "tumor bearing" mice survived 500 mg/kg x 8 days with no toxic signs reported.
Method: No Data
GLP: Yes ☐; No ☐; ? ☒
Test substance: Comments: None
Reliability: [3] Not valid
Reference: Southern Research Laboratory Report NSC 8622 to CGNSC, 2121157.

(b)

Species/strain: Rat
Sex: Female ☐; Male ☐; Male/Female ☐; No Data ☒
Route of Administration: Gavage
Exposure period: 300 days
Frequency of treatment: 5 days/week
Post exp. observation period: No Data
Dose: 330 mg in olive oil/kg/day (10 animals/group)
Control group: Yes ☐; No ☐; No Data ☒; Concurrent no treatment ☐; Concurrent vehicle ☐;
Historical ☐
NOEL: No Data
LOEL: No Data
Results: 5 out of 10 rats survived over 300 days at a feeding level of 330 mg/kg/day in olive oil.
(2 killed by accident) No information on body weight, toxic signs or pathology.
Method: No Data
GLP: Yes ☐; No ☐; ? ☒
Test substance: Comments: None
Reliability: [3] Not valid.
Reference: Letter: Ferber, K. H./B. M. Helfaer, 1957. Re: Syracuse U. Res. Inst. Oral Report, Item 5.0.21, 12/16/57.

C. GENETIC TOXICITY IN VITRO

(a)

BACTERIAL

Type: Bacterial reverse mutation assay (Ames test)
Species/strain: *Salmonella typhimurium* bacteria (Strains TA98, TA100, TA1535, TA1537, and TA 1538)
Test System: Standard plate method
Concentration: Up to 1000 µg/plate
Metabolic Activation: With [X]; Without [X]
Results: Not mutagenic
Cytotoxic Concentration: No Data
Precipitation: No Data
Genotoxic Effects: Negative with and without metabolic activation
Method: Standard Ames test as cited in *Mutation Research* 3 1:347-364, 1975.
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: None.
Reliability: [2] Valid with restrictions.
Reference: IUCLID Data Sheet, 6/9/94, Huels Report No. 7923, *Unpublished Data*, 1979.

(b)

NON-BACTERIAL IN VITRO TEST (CHROMOSOME ABERRATION)

No Data

D. REPRODUCTIVE TOXICITY

No Data

E. DEVELOPMENTAL TOXICITY

No Data

6. A. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY CORROSIVENESS/IRRITATION

(1) SKIN IRRITATION/CORROSION

Type: Dermal Irritation/Corrosivity
Species/strain: New Zealand albino rabbits
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating []; Moderate irritating []; Slightly irritating [X]; Not irritating []
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating [X]; Not irritating []
Method: Draize test. Application of 0.5 ml of various solutions to each of 6 rabbits with scoring at 24 and 72 hours.
GLP: Yes [X] No [] ? []
Test substance: Concentrations of 6.25, 12.5, 25, and 50% in mineral oil
Remarks: Minimal to slight irritation was seen at ≤ 50%. Classified as “irritating” in accordance with EC Directive 6/548/EEC. Primary irritation scores were: 0.17 at 6.25%; 0.67 at 12.5%; 0.58 at 25%; and 0.92 at 50% (0.92 = minimal to slight irritation). Mineral oil alone scored 0.42.
Reliability: [2] Valid with restrictions
Reference: Food Drug Research Laboratory, Study No. 7232H, 1982.

(2) EYE IRRITATION/CORROSION

(a)

Type: OECD (Irrigation and non-irrigation)
Species/strain: New Zealand albino rabbits
Results: Highly corrosive []; Corrosive [X]; Highly irritating [X];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not irritating []; Risk of serious damage to eyes [X]
Method: Draize Test. One hundred (100) mg of solid material was applied to 6 rabbits without irrigation and to 3 rabbits each for irrigation at either 4 or 30 seconds. Irritant effects were scored up to 21 days.
GLP: Yes [X] No [] ? []
Test substance: Undiluted solid
Remarks: HHPA may cause "Risk of Serious Damage to Eyes" in accordance with EC Directive 67/543/EEC. Unwashed eyes and those washed at 30 seconds showed severe irritation and corrosion with no recovery at 21 days. Rabbits irrigated at 4 seconds showed severe but reversible irritation by 19 days.
Reliability: [2] Valid with restrictions.
Reference: FDRL Report of Study 677 1 -H, February 27, 1981

(b)

Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating []; Moderate irritating [X]; Slightly irritating []; Not irritating []
Classification: Irritating [X]; Not irritating []; Risk of serious damage to eyes []
Method: Draize Test
GLP: Yes [X] No [] ? []
Test substance: No Data
Reliability: [3] Not valid
Remarks: Washout after 4 seconds. Score of 39 on a Draize scale of 110 at 24 hours was reported.
Reference: FDRL Report of Study 677 1-H, February 27, 1981

(c)

Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [X];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating [X]; Not irritating []; Risk of serious damage to eyes []
Method: Draize Test
GLP: Yes [] No [] ? [X]
Test substance: Comments: None
Reliability: [3] Not valid
Remarks: Washout after 30 seconds. 86 on a Draize scale of 110 at 13 days.
Reference: FDRL Report of Study 677 1 -H, February 27, 1981

B. SKIN SENSITIZATION

Type: Human
Species/strain: Human
Results: Sensitizing [X]; Not sensitizing []; ambiguous []
Classification: Sensitizing [X]; Not sensitizing []
Method: No Data
GLP: Yes [X] No [] ? []
Test substance: 5% suspension HHPAA in mineral oil (10 repeat test). None
Reliability: [2] Valid with restrictions
Remarks: Four out of fifty-three subjects gave a low grade sensitivity reaction and one marked reaction indicating sensitization.
Reference: Buffalo Color Corporation, MSDS 127-2639 (9/1 1196); FDRL Report of Study OE No. 2471, May 7, 1982.

C. RESPIRATORY SENSITIZATION

Note: Organic acid anhydrides in general are low molecular weight, reactive molecules that have been associated with mucosal irritation, skin and respiratory sensitization, severe eye irritation and mild to moderate skin irritation. All of the anhydrides within the cyclic anhydride category are corrosive to the eyes. Sensitization has been noted in various studies on both humans and animals; however, no studies were located for NMA. Symptoms of over-exposure include rhinitis, conjunctivitis and asthma-like effects, Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers.

Manufacturers of HHPA have not reported significant adverse effects on worker health but exposure levels are unknown. Transient effects (skin, eye, and respiratory tract irritation) have been noted as well as general signs like anemia, headache, fever and dizziness. Hypersensitivity effects have also been reported and include asthma, urticaria, contact dermatitis, fever, chills, hemolysis and respiratory sensitizations. Several key studies are subsequently summarized.

References: Grammer, et. al, 1994 and 1995 (HHPA); Kanerva, et al., 1997 and 1997; Welinder, 1991 (MHPA)
Welinder, et al., 1990 and 1994 (MTHPA); Buffalo Color Corporation, 1995 (NMA)

(a)
Method: A questionnaire, lung function, and blood tests were given to HHPA exposed workers to determine the presence of immunoglobulin-E(IgE) and immunoglobulin-G (IgG) antibodies against hexahydrophthalic human serum albumin (HHP-HSA). The 57 workers who reported symptoms or demonstrated **specific** antibodies were skin tested with HHP-HSA and interviewed and examined by a physician.
Results: Sixteen of the 57 were found to have IgE mediated disease and seven had both IgE and IgG mediated disease.
Reliability: [2] Valid with restrictions
Remarks: IgE and IgG antibody status were found to be significant positive predictors for IgE and IgG disease respectively. The authors concluded that development of following exposure to HHPA, the development of immunologically mediated respiratory disease is most closely associated with development of IgE or IgG antibodies to HHP-HSA and exposure level. After the workers were removed from exposure for 1 year, no symptoms, physical findings, **spirometry** or chest x-rays indicated permanent damage due to HHPAA-induced respiratory disease; however, both serum IgE and IgG for HHPAA persisted in the workers after 1 year.
Reference: Grammer, L.C., et al., 1994; Grammer, L. C., 1995

C. RESPIRATORY SENSITIZATION (continued)

(b)

Method: Historical data
Results: Source: Buffalo Color Corporation
No serious incidents, case reports, or other epidemiology was noted in workers exposed to HHPAA.
Reliability: [4] Not assignable
Remarks: Manufactured by Buffalo Color Corporation for a number of years without reported significant adverse effects on health but early exposure levels are unknown. There have been cases of transient irritation.
Reference: Buffalo Color Corporation, Occupational and Environmental Health Hazard Summary and Evaluation of Commercial Grade Chemicals, Issue No. 4, pg. 12, Date: 12195.

(c)

Method: In a cross-sectional study on 95 workers in two plants which used HHPA as a hardener for epoxy resin the radio **allergo** sorbent test (RAST) and enzyme linked immunosorbent assay were used to determine antibody levels to IgE and IgG respectively. The mean time of exposure was 7 hours (range 0.1-25) years.
Results: The specific IgE and IgG levels were significantly increased in workers as compared with external referents or unexposed workers.
Reliability: [2] Valid with restrictions
Remarks: Study indicates that short-time peak exposures may affect IgE sensitization and HHPA can cause sensitization even at low levels.
Reference: Welinder, H.E., et al., 1994.

(d)

Method: Nasal challenge tests were performed with a conjugate of HHPA and human serum albumin (HAS) at three increasing concentrations in exposed workers to test the pathogenetic relevance of serum antibodies (IgE and IgG).
Results: Eleven subjects who reported work-related nasal symptoms and were IgE-sensitized against HHPA (Positive in skin-prick test and RAST against HHPA-HAS conjugate) had a decrease of nasal inspiratory peak flow and a significant increase of symptoms after the challenges. Eleven unsensitized subjects with no symptoms and nine unsensitized subjects who complained of work-related nasal symptoms displayed no significant change in any parameter.
Reliability: [2] Valid with restrictions
Remarks: The authors concluded that symptoms in some of the workers were caused by an IgE-mediated mast cell degranulation and ensuing inflammatory reaction involving eosinophil and neutrophil cells.
Reference: Neilsen, J., et al., 1994

(e)

Method: Results from a radio **allergo** sorbent test (RAST) and skin prick test (using 1% and 5% **acetic** solution) of commercially available phthalic anhydride were compared to results from RAST and skin prick tests using the not commercially available conjugates of HHPA and MTHPA. 110 employees exposed to HHPA and MTHPA were examined using the PA conjugates and 109 of the 110 were examined using HHPA and MTHPA conjugates.
Results: Specific IgE against acid anhydrides was detected in a total of 17 persons and 6 sensitizations in the challenge test were clinically relevant. The PA conjugate RAST produced three false negatives and one false positive when compared with a RAST using HHPA and MTHPA conjugates when borderline positive findings using the PA conjugate RAST were included. In comparison with the RAST, the skin prick test gave three false positive and three false negative results.
Reliability: [2] Valid with restrictions
Remarks: The authors concluded that RASTs with conjugates of PA and skin prick tests with native acid anhydrides can validly ascertain workplace-related sensitizations to HHPA and MTHPA.
Reference: Drexler, H., et al., 1994

7. REFERENCES

- Buffalo Color Corporation, MSDS File 127-2639, August 10, 1979.
- Buffalo Color Corporation, MSDS 127-2639, June 12, 1989.
- Buffalo Color Corporation, *Material Safety Data Sheet for Hexahydrophthalic Anhydride*, 3187
- Buffalo Color Corporation, *Material Safety Data Sheet for Hexahydrophthalic Anhydride*, 9/96.
- Buffalo Color Corporation, *Occupational and Environmental Health Hazard Summary and Evaluation of Commercial Grade Chemicals. Hexahydrophthalic Anhydride*, Issue No. 5, 1196.
- Buffalo Color Corporation, Technical Data Sheet, "Anhydrides."
- Butterfield, D.A., et al., *Spin-Labeling Studies of the Interaction of Dicarboxylic Acid Neurotoxins with Human Erythrocyte Membranes. IV: Effects of Maleic, Succinic, Fumaric and Cyclic Non-aromatic Acids*, *Biochem. Arch.* 2:245-252, 1986. CA106:4533N*.
- Dixie Chemical Company, Inc., *Hexahydrophthalic Anhydride Material Safety Data Sheet*, 06106199
- Drexler, H., *Detection and Clinical Relevance of a Type I Allergy with Occupational Exposure to Hexahydrophthalic Anhydride and Methyl Tetrahydrophthalic Anhydride*, *Int. Arch. Occup. Environ. Health* 65:279-283, 1994.
- FDRL, *Report of Study 6771-H*, January 13, 1981.
- FDRL, *Report of Study 6771-H*, April 21, 1981.
- FDRL, *Report of Study 6771-H*, September 30, 1981.
- FDRL, *Report of Study 6771-H*, February 27, 1981.
- FDRL, *Report of Study 7232-H*, March 5, 1982.
- FDRL, *Report of Study OE No. 2471*, May 7, 1982.
- Grammer, L., *Study of Employees with Anhydride-Induced Respiratory Disease After Removal from Exposure*, *J. Occup. Med.* 7:820-825, 1995.
- Grammer, L., *Risk Factors for Immunologically Medicated Respiratory Disease from Hexahydrophthalic Anhydride*, *J. Occup. Med.* 6:642-646, 1994.
- Grammer, L., "Value of Antibody Level in Diagnosing Anhydride Induced Immunologic Respiratory Disease," *Journal of Laboratory Clinical Medicine*, No. 5:650-653, 1995.
- Grammer, L. C. et al., *Hemorrhagic Rhinitis -An Immunologic Disease due to Hexahydrophthalic Anhydride*, *Chest* 104(6):1792-1794, 1993
- Grammer, L. C. et al., *Risk Factors for Immunologically Mediated Respiratory Disease from Hexahydrophthalic Anhydride*, *J. Occup. Med.* 36(6):642-646, 1994
- Handbook of Chemistry and Physics -- 61st Edition 1980-1, CRC PRESS, Boca Raton, FL, (HHPA listed as cyclohexane 1,2-dicarboxylic acid (cis)).
- IUCLID Data Sheet, Lonza Inc./Lonza Spa; 619194.

Kanerva, L. et al., *Delayed and Immediate Allergy caused by Methylhexahydrophthalic Anhydride*, Contact Dermatitis 36(1):34-38, 1997

Kanerva, L. et al., *Airborne Allergic Contact Urticaria from Methylhexahydrophthalic Anhydride and Hexahydrophthalic Anhydride* Contact Dermatitis 41(6):339-341, 1999

Karume Laboratory, Chemical Evaluation and Research Institute, Japan, *Unpublished Report*, May 1985.

Letter, Ferber, K.H./B.M. Helfaer, December 16, 1957, Re: Oral report from Syracuse University Res. Institute, Item S.U. 2 1.

Letter, Fuhr, A.B./R.J. Duggan, June 25, 1982.

Lonza Inc./Lonza Spa, *Hexahydrophthalic Anhydride Material Safety Data Sheet*, 3/14/95

Nielson, J., *Nasal Challenge Shows Pathogenetic Relevance of Specific IgE Serum Antibodies for Nasal Symptoms Caused by Hexahydrophthalic Anhydride*, Clin. And Exper. Allergy 5:440-449, 1994.

Southern Res. Report., NSC 8622 to CCNSC, February 28, 1957.

Syracuse University Research Institute, *Oral Report Item 5.1.21*, December 16, 1957

Welinder, H., *Exposure-Response Relationships in the Formation of Specific Antibodies to Hexahydrophthalic Anhydride in Exposed Workers*, Scand. J. Work. Environ. Health 20:459-465, 1994.

Welinder, H., *Immunologic tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991.

Welinder, H. et al., *Structure-Activity Relationships of Organic Acid Anhydrides as Antigens in an Animal Model*, Toxicol. 103(2): 127-136, 1995

Wehnder, H., et al., *Specific Antibodies to Methyltetahydrophthalic Anhydride in Exposed Workers*, Clin. Exp. Allergy 20(6):639-646, 1990.

Welinder, H. and Nielsen, J., *Immunologic Tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991

HIGH PRODUCTION VOLUME (HPV)

CHALLENGE PROGRAM

APPENDIX 2

ROBUST SUMMARIES

FOR

**TETRAHYDROPHTHALIC ANHYDRIDE
(85-43-8)**

Submitted to the U.S. EPA

BY

The Industrial Health Foundation, Inc. Cyclic Anhydride Committee

Consortium Registration Number:

March, 2001

CONTENTS

	<u>Page</u>
1. SUBSTANCE INFORMATION	1
2. PHYSICAL-CHEMICAL DATA	1
A. MELTING POINT	1
B. BOILING POINT	2
C. VAPOR PRESSURE	3
D. PARTITION COEFFICIENT n-OCTANOL/WATER	3
E. WATER SOLUBILITY	4
F. pH VALUE, pKa VALUE	4
3. ENVIRONMENTAL FATE AND PATHWAYS	5
A. PHOTODEGRADATION	5
B. STABILITY IN WATER	5
C. BIODEGRADATION	5
D. TRANSPORT AND DISTRIBUTION	5
4. ECOTOXICITY	6
A. ACUTE/PROLONGED TOXICITY TO FISH	6
B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNLA	7
C. TOXICITY TO AQUATIC PLANTS - ALGAE	7
5. TOXICITY	7
A. ACUTE TOXICITY	7
(1) ACUTE ORAL TOXICITY	7
(2) ACUTE INHALATION TOXICITY	8
(3) ACUTE DERMAL TOXICITY	8
B. REPEATED DOSE TOXICITY (GENERAL)	8
C. GENETIC TOXICITY IN VITRO	9
(1) BACTERIAL TEST	9
(2) NON-BACTERIAL IN VITRO TEST	9
D. REPRODUCTIVE TOXICITY	9
E. DEVELOPMENTAL TOXICITY	9
6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY	9
A. CORROSIVENESS/IRRITATION	9
(1) SKIN IRRITATION/CORROSION	9
(2) EYE IRRITATION/CORROSION	10
B. SKTN SENSITIZATION	11
C. RESPIRATORY SENSITIZATION	11
7. REFERENCES	12

1. GENERAL INFORMATION

CAS-Number 85-43-8


Name 4-Cyclohexene-1,2-dicarboxylic anhydride

CAS Descriptor Not Applicable

EINECS-Number 201-605-4

Molecular Formula C₈O₈O₃

Structural Formula



Other Chemical Identity/Synonyms

4-Cyclohexene-1,2-dicarboxylic acid, anhydride (cis); Tetrahydrophthalic anhydride; 1,2,3,6-Tetrahydrophthalic anhydride; THPA

Type of Substance

element ☐; inorganic ☐; natural substance ☐; organic ☒; organometallic ☐; petroleum product ☐

Physical State (at 20°C and 1.013 hPa)

gaseous ☐; liquid ☐; solid ☒

Purity

>99% weight/weight (approx.)

SYNONYMS

4-Cyclohexene-1,2-dicarboxylic acid, anhydride (cis); THPA

IMPURITIES

No Data

2. PHYSICAL-CHEMICAL DATA

A. **MELTING POINT**

(a)

Value: 99 °C (210 °F) minimum

Decomposition: No Data

Sublimation: No Data

Method: No Data

GLP: Yes ☐ No ☒ ? ☐

Reliability: [2] Valid with restrictions

Remarks: None

Reference: Dixie Chemical Company, MSDS (8/13/98)

A. MELTING POINT (continued)

(b)

Value: 102 °C (216 °F) minimum
Decomposition: No Data
Sublimation: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, MSDS 4445 THPA (3/14/95)

(c)

Value: 100 °C (212 °F) minimum
Decomposition: No Data
Sublimation: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: EUCLID Data Sheet, 1994

B. BOILING POINT

(a)

Value: 195 °C
Pressure: 50 mm Hg
Decomposition: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [3] Not valid
Remarks: None
Reference: Lonza Inc./Lonza Spa, MSDS 4445 THPA (3/14/95)

(b)

Value: 195 °C
Pressure: 1013 hPa
Decomposition: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [3] Not valid
Remarks: None
Reference: EUCLID Data Sheet, 1994

C. VAPOR PRESSURE

(a)

Value : <0.01 mm Hg
Temperature: 20 °C
Method: calculated ☒; measured ☐; ? ☐
No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Co., Inc., MSDS (8/13/98)

(b)

Value: 0.01 mm Hg
Temperature: 20 °C
Method: calculated ☐; measured ☐; ? ☒
No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, MSDS 4445 THPA (3114195)

(c)

Value: 50.0 mm Hg
Temperature: 195 °C
Method: calculated ☒; measured ☐; ? ☐
No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Co., Inc., MSDS (8/13/98)

D. PARTITION COEFFICIENT $\log_{10}Pow$

$\log_{10}Pow$: 0.02
Temperature: No Data
Method: calculated ☒; measured ☐; ? ☐
GLP: Yes ☐; No ☐; ? ☒
Reliability: [3] Not valid
Remarks: None
Reference: EUCLID Data Sheet, 1994; Hansch, L. *Berechnung mit dem MedChem-Programm*, Version 1989 (POMONA89)

E. WATER SOLUBILITY

(a)

Value: 10 g/l
Temperature: 20 °C
Description: Miscible[]; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [X];
Of low solubility []; Of very low solubility []; Not soluble []
Method: No Data
GLP: Yes [] No [X] ? []
Reliability: [3] Not valid
Remarks: Slowly hydrolyzes to diacid in water.
Reference: EUCLID Data Sheet, 1994; Huels, A.G., Sicherheitsdatenblatt, 10/1/93

(b)

Value: No Data
Temperature: No Data
Description: Miscible[]; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility []; Of very low solubility []; Not soluble [X]
Method: No Data
GLP: Yes [] No [X] ? []
Reliability: [3] Not valid
Remarks: Slowly hydrolyzes to diacid in water.
Reference: Dixie Chemical Co., Inc., MSDS (8113198)

(c)

Value: No Data
Temperature: No Data
Description: Miscible[]; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [X];
Of low solubility []; Of very low solubility []; Not soluble []
Method: No Data
GLP: Yes [] No [] ? [X]
Reliability: [3] Not valid
Remarks: Slightly soluble with hydrolysis.
Reference: Lonza Inc./Lonza Spa, MSDS 4445 THPA (3114195)

F. pH Value, pKa Value

(a)

pH Value: 2.1
Concentration: 1 g/l
Temperature: 20 °C
Method: No Data
GLP: Yes [] No [] ? [X]
PKa Value: No Data
Reliability: [3] Not valid
Remarks: No Data
Reference: Lonza Inc./Lonza Spa, MSDS 4445 THPA (3/14/95)

F. pH Value, pKa Value (continued)

(b)

pH Value: 2.1
Concentration: 10 g/l
Temperature: No Data
Method: No Data
GLP: Yes ☐ No ☒ ? ☐
PKa Value: No Data
Reliability: [3] Not valid
Remarks: No Data
Reference: EUCLID Data Sheet, 1994; Huels, A.G., Sicherheitsdatenblatt, 10/1/93

3. ENVIRONMENTAL FATE AND PATHWAYS

A. PHOTODEGRADATION

No Data

B. STABILITY IN WATER

Remarks: Slowly hydrolyzes to diacid.

C. BIODEGRADATION

(a)

Type: Aerobic ☒; Anerobic ☐
Innoculum: Activated sludge
Concentration: 100 mg/L (test substance)
Medium: No Data
Degradation: 0.0%
Kinetics: No Data
Method: OECD Guideline 303A
Test Substance: Tetrahydrophthalic anhydride (Purity unknown)
Results: Zero percent biodegradation as measured by BOD.
Test Conditions: Three replicate tests were conducted. Concentration of the test substance was 100 mg/L. The activated sludge concentration was 30 mg/L. The volume of the test solution was 300 ml. A constant temperature of 25 °C was maintained for 28 days.
GLP: Yes ☒; No ☐; ? ☐
Reliability: [2] Valid with restrictions
Remarks: Biochemical Oxygen Demand (BOD) was determined to calculate percent biodegradation.
Reference: Report cited by the Japan Chemical Industry Ecology-Toxicology Information Center, October, 1992.

C. **BIODEGRADATION (continued)**

(b)

Type: Aerobic ☒; Anerobic ☐
Innoculum: Predominantly domestic sewage
Concentration: 10 mg/l related to DOC (Dissolved Organic Carbon)
Medium: No Data
Degradation: 21% after 21 days
Kinetics: No Data
Method: OECD Guideline 301E, *Ready Biodegradability: Modified OECD Screening Test*
Test Substance: 'As prescribed by 1.1-1.4'
Results: No Data
Test Conditions: No Data
GLP: Yes ☐; No ☒; ? ☐
Reliability: [1] Valid without restrictions
Remarks: None
Reference: EUCLID Data Sheet, 1994; Huels-Untersuchung (unveroeffentlicht), 198 1

D. **TRANSPORT AND DISTRIBUTION**

No Data

4. **ECOTOXICITY**

A. **ACUTE/PROLONGED TOXICITY TO FISH**

Type of test: Static
Species/strain: *Leuciscus idus*, (freshwater species)
Exposure period: 48 hours
Results: LC₅₀: 6 10 mg/l
Temperature: 'As prescribed by 1. 1- 1.4'
Method: Bestimmung der Wirkung von Wasserinhaltsstoffen auf Fische, DIN 384 12 Teil 1.5
Test Substance: No Data
Analytical monitoring: Yes ☐ No ☒ ? ☐
Remarks: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions.
Reference: EUCLID Data Sheet, 1994; Huels-Untersuchung, 1983 (unveroeffentlicht)

B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA

Type of test: No Data
Species/strain: *Daphnia magna* (Crustacea)
Exposure period: 24 hours
Results: EC₅₀: 117 mg/l
Temperature: No Data
Method: Daphnien-Kurzzeittest, DIN 3 84 12 Teil 11, Bestimmung der Wirkung von Wasserinhaltsstoffen auf Kleinkrebse
Test Substance: 'As prescribed by 1.1-1.4'
Analytical monitoring: Yes [] No [X] ? []
Remarks: No Data
GLP: Yes [] No [X] ? []
Reliability: [2] Valid with restrictions
Reference: EUCLID Data Sheet, 1994; Huels-Bericht D324, 1988 (unveroeffentlicht)

C. TOXICITY TO AQUATIC PLANTS - ALGAE

Type of test: No Data
Species/strain: *Scenedesmus subspicatus* (Algae)
Exposure period: 72 hours
Results: EC₅₀: 45.4 mg/l; EC₅₀: 65.7 mg/l; EC₅₀: 95.2 mg/l
Temperature: No Data
Method: Algenwachstums-Hemmtest nach UBA (Verfahrensvorschlag Stand Februar 1984)
Test Substance: 'As prescribed by 1.1-1.4'
Analytical monitoring: Yes [] No [X] ? []
Remarks: No Data
GLP: Yes [] No [X] ? []
Reliability: [2] Valid with restrictions.
Reference: EUCLID Data Sheet, 1994; Huels-Bericht, A.W., 1988 (unveroeffentlicht)

5. TOXICITY

A. ACUTE TOXICITY

(1) ACUTE ORAL TOXICITY

(a)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD₀ []; Other []
Species/strain: Rat
Value: 3 g/kg
Method: No Data
GLP: Yes [] No [] ? [X]
Test substance: No Data
Reliability: [4] Not assignable
Remarks: No specifics reported other than the lethal dose. Route of exposure was unreported.
Reference: RTECS, 1999; Gig. Trud. Prof. Zabol. 29(12):37, 1985

(1) ACUTE ORAL TOXICITY (continued)

(b)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Mouse
Value: 3300 mg/kg
Method: No Data
GLP: Yes [] No [] ? [X]
Test substance: No Data
Remarks: No specifics reported other than the lethal dose. Route of exposure was unreported.
Reliability: [4] Not assignable
Reference: RTECS, 1999; Gig. Trud. Prof. Zabol. 29(12):37, 1985

(c)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Guinea Pig
Value: 3500 mg/kg
Method: No Data
GLP: Yes [] No [] ? [X]
Test substance: No Data
Remarks: No specifics reported other than the lethal dose. Route of exposure was unreported.
Reliability: [3] Not valid
Reference: RTECS, 1999; Gig. Trud. Prof. Zabol 29(12):37, 1985

(d)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rat
Value: 5410 mg/kg (4590-6380 mg/kg)
Method: No Data
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: No details reported.
Reliability: [4] Not assignable
Reference: EUCLID Data Sheet, 1994; Marhold, J.V. Institut Prov Vychova Vedoucin Pracovniku Chemikeho Prymyelo Praha, p. 140, 1972

(2) ACUTE INHALATION TOXICITY

No Data

(3) ACUTE DERMAL TOXICITY

No Data

B. REPEATED DOSE TOXICITY (General)

No Data

C. GENETIC TOXICITY IN VITRO

(1) BACTERIAL

Type: Bacterial reverse mutation assay (Ames test)
Species/strain: *Samonella typhimurium* (Strains TA 98, TA 100, TA 1535, TA 1537, and TA 1538)
Test System: Standard plate method
Concentration: 1000 µg/ plate (maximum concentration)
Metabolic Activation: With [X]; Without [X]
Results: Negative
Cytotoxic Concentration: No Data
Precipitation: No Data
Genotoxic Effects: Negative with and without metabolic activation.
Method: Standard Ames test as cited in *Mutation Research* 3 1:347-364, 1975.
GLP: Yes [] No [X] ? []
Test Substance: ' As prescribed by 1. 1- 1.4'
Reliability: [2] Valid with restrictions
Remarks: None
Reference: EUCLID Data Sheet, 1994; Huels Report No. 7924, 1979 (unpublished)

(2) NON-BACTERIAL IN VITRO TEST (CHROMOSOME ABERRATION)

No Data

D. REPRODUCTIVE TOXICITY

No Data

E. DEVELOPMENTAL TOXICITY

No Data

6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY

A. CORROSIVENESS/IRRITATION

(1) SKIN IRRITATION/CORROSION

(a)

Type: Dermal Irritation/Corrosivity
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly Irritating [];
Irritating []; Moderate irritating []; Slightly irritating [X]; Not irritating []
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating [X]; Not Irritating []
Method: Draize test
GLP: Yes [] No [] ? [X]
Test Substance: No Data
Reliability: [3] Not valid
Remarks: 500 mg was applied over a 24 hour time period.
Reference: RTECS, 1999; Prehled Prumyslove Toxikologie, Organicke Latky, Masrhold, J., pg. 322, 1986.

(1) SKIN IRRITATION/CORROSION (continued)

(b)

Type: Dermal Irritation/Corrosivity
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly Irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating [X]
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating []; Not Irritating [X]
Method: Draize test.
GLP: Yes [] No [X] ? []
Test Substance: 'As prescribed by 1. 1- 1.4'
Reliability: [2] Valid with restrictions
Remarks: Irritation index: 0, 6/8
Redness: x=0,44 (EEC Annex VI)
Edema: x=0
Reference: EUCLID Data Sheet, 1994; Huels Report No. 127 1, 1988 (unpublished)

(2) EYE IRRITATION/CORROSION

(a)

Type: Acute Eye Irritation/Corrosion
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive [X]; Highly Irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not Irritating []; Risk of serious damage to eyes [X]
Method: OECD Guideline 405, Acute Eye Irritation/Corrosion, 1981
GLP: Yes [] No [X] ? []
Test Substance: No Data
Reliability: [2] Valid with restrictions
Remarks: No scores were calculated since only one animal used in the test. The test was stopped after one hour due to the possible risk of irreversible effects.
Reference: EUCLID Data Sheet, 1994; Huels Report No. 1272, 1988 (unpublished)

(b)

Type: Draize
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly Irritating [];
Irritating []; Moderate irritating [X]; Slightly irritating []; Not irritating []
Classification: Irritating [X]; Not Irritating []; Risk of serious damage to eyes []
Method: Draize test.
GLP: Yes [] No [] ? [X]
Test Substance: No Data
Reliability: [3] Not valid
Remarks: Application of 20mg produced moderate irritation at 24 hours.
Reference: RTECS, 1999; Prehled Prumyslove Toxikologie; Organicke Latky, Marhold, J., pg. 322, 1986

(1) SKIN IRRITATION/CORROSION

(continued)

(b)

Type: Dermal Irritation/Corrosivity
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly Irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating [X]
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating []; Not Irritating [X]
Method: Draize test.
GLP: Yes [] No [X] ? []
Test Substance: 'As prescribed by I.1-1.4'
Reliability: [2] Valid with restrictions
Remarks : Irritation index: 0, 6/8
Redness: x=0,44 (EEC Annex VI)
Edema: x=0
Reference: EUCLID Data Sheet, 1994; Huels Report No. 1271, 1988 (unpublished)

(2) EYE IRRITATION/CORROSION

(a)

Type: Acute Eye Irritation/Corrosion
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive [X]; Highly Irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not Irritating []; Risk of serious damage to eyes [X]
Method: OECD Guideline 405, *Acute Eye Irritation/Corrosion*, 1981
GLP: Yes [] No [X] ? []
Test Substance: No Data
Reliability: [2] Valid with restrictions
Remarks: No scores were calculated since only one animal used in the test. The test was stopped after
one hour due to the possible risk of irreversible effects.
Reference: EUCLID Data Sheet, 1994; Huels Report No. 1272, 1988 (unpublished)

(b)

Type: Draize
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly Irritating [];
Irritating []; Moderate irritating [X]; Slightly irritating []; Not irritating []
Classification: Irritating [X]; Not Irritating []; Risk of serious damage to eyes []
Method: Draize test
GLP: Yes [] No [] ? [X]
Test Substance: No Data
Reliability: [3] Not valid
Remarks: Application of 20mg produced moderate irritation at 24 hours.
Reference: RTECS, 1999; Prehled Prunyslove Toxikologie; Organické Latky, Marhold, J., pg. 322, 1986

B. SKIN SENSITIZATION

Type: Guinea Pig Maximization Test
Species/stain: Guinea Pig
Results: Sensitizing [X]; Not Sensitizing []; ambiguous []
Classification: Sensitizing [X]; Not Sensitizing []
Method: OECD Guideline 406 Skin Sensitization, 1981
GLP: Yes [] No [X] ? []
Test Substance: 'As prescribed by 1.1-1.4'
Reliability: [2] Valid with restrictions.
Remarks: Seventeen (17) of the 20 guinea pigs showed a positive response.
Reference: EUCLID Data Sheet, 1994; Huels Report No. 1218, 1988 (unpublished)

C. RESPIRATORY SENSITIZATION

Note: Organic acid anhydrides in general are low molecular weight, reactive molecules that have been associated with mucosal irritation, skin and respiratory sensitization, severe eye irritation and mild to moderate skin irritation. Some of these compounds are corrosive to the eyes. Sensitization has been noted in various studies on both humans and animals; however, no studies were located for NMA. Symptoms of over-exposure include rhinitis, conjunctivitis and asthma-like effects. Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers.

References: Grammer, et. al, 1994 and 1995 (HHPA); Kanerva, et al., 1997 and 1997; Welinder, 1991 (MHHPA)
Welinder, et al., 1990 and 1994 (MTHPA); Buffalo Color Corporation, 1995 (NMA)

Method: Guinea pigs were immunized intradermally with a single dose of 0.3 M solution of THPA and other anhydrides. Specific IgE and IgG antibodies specific for guinea-pig serum albumin conjugates of the anhydrides were determined by passive cutaneous anaphylaxis (PCA) tests and enzyme-linked immunoabsorbant assay (ELISA).

Results: Specific IgG levels were increased in only three (3) of nine (9) animals immunized with THPA. Less than 10% of the animals in the THPA immunized group were positive for specific IgE antibodies.

Reliability: [2] Valid with restrictions

Remarks: Specific IgG, totals were analyzed by ELISA assay. PCA was used for analysis of IgE. It should be noted that the PCA assay has low sensitivity and may not detect low titer levels of antibody. Product purity was \geq 97%. The primary purpose of this article was to investigate structure activity relationships of organic acid anhydrides. The authors concluded that substitution of a hydrogen atom for a methyl group enhanced antibody formation. This substitution appeared to be the most marked general effect of chemical structure on immunogenicity.

Reference: Welinder, H., et al., 1995

7. REFERENCES

Dixie Chemical Co., Inc., *Material Safety Data Sheet – Tetrahydrophthalic Anhydride*, 8113198

EUCLID Data Sheet (Lonza Inc.), Creation Date: 09/06/93; Revision Date: 01/11/94

Grammer, L. C. et al., *Hemorrhagic Rhinitis -An Immunologic Disease due to Hexahydrophthalic Anhydride*, Chest 104(6):1792-1794, 1993

Grammer, L. C. et al., *Risk Factors for Immunologically Mediated Respiratory Disease from Hexahydrophthalic Anhydride*, J. Occup. Med. 36(6):642-646, 1994

Japan Chemical Industry Ecology-Toxicology Information Center, *Cited Report Summary*, October, 1992

Kanerva, L. et al., *Delayed and Immediate Allergy caused by Methylhexahydrophthalic Anhydride*, Contact Dermatitis 36(1):34-38, 1997

Kanerva, L. et al., *Airborne Allergic Contact Urticaria from Methylhexahydrophthalic Anhydride and Hexahydrophthalic Anhydride* Contact Dermatitis 41(6):339-341, 1999

Klimisch, H. J., et al., *A systematic Approach for Evaluating the Quality of Experimental and Ecotoxicological Data*, Regulatory Toxicol. & Pharmacol. 25:1-5, 1997.

Lonza Inc./Lonza Spa, *Material Safety Data Sheet 4445 – Tetrahydrophthalic Anhydride*, 3/14/95

RTECS Database, 1999

Welinder, H., et al., *Specific Antibodies to Methyltetrahydrophthalic Anhydride in Exposed Workers*, Clin. Exp. Allergy 20(6):639-646, 1990.

Welinder, H. and Nielsen, J., *Immunologic Tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991

Welinder, H. E. et al., *Exposure-Response Relationships in the Formation of Specific Antibodies to Hexahydrophthalic Anhydride in Exposed Workers*, Scand. J. Work Environ. Health 20(6):459-465, 1994

HIGH PRODUCTION VOLUME (HPV)

CHALLENGE PROGRAM

APPENDIX 3

ROBUST SUMMARIES

FOR

**METHYLHEXAHYDROPHthalic ANHYDRIDE
(25550-51-0)**

Submitted to the U.S. EPA

BY


The Industrial Health Foundation, Inc. Cyclic Anhydride Committee

Consortium Registration Number:

March, 2001

CONTENTS

	<u>Page</u>
1. SUBSTANCE INFORMATION	1
2. PHYSICAL-CHEMICAL DATA	2
A. MELTING POINT	2
B. BOILING POINT	2
C. VAPOR PRESSURE	2
D. PARTITION COEFFICIENT n-OCTANOL/WATER	3
E. WATER SOLUBILITY	3
F. pH VALUE, pKa VALUE	4
3. ENVIRONMENTAL FATE AND PATHWAYS	4
A. PHOTODEGRADATION	4
B. STABILITY IN WATER	4
C. BIODEGRADATION	4
D. TRANSPORT AND DISTRIBUTION	4
4. ECOTOXICITY	5
A. ACUTE/PROLONGED TOXICITY TO FISH	5
B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA	5
C. TOXICITY TO AQUATIC PLANTS - ALGAE	5
5. TOXICITY	5
A. ACUTE TOXICITY	5
(1) ACUTE ORAL TOXICITY	5
(2) ACUTE INHALATION TOXICITY	5
(3) ACUTE DERMAL TOXICITY	5
B. REPEATED DOSE TOXICITY (GENERAL)	6
C. GENETIC TOXICITY IN VITRO	6
(1) BACTERIAL TEST	6
(2) NON-BACTERIAL IN VITRO TEST	6
D. REPRODUCTIVE TOXICITY	6
E. DEVELOPMENTAL TOXICITY	6
6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY	6
A. CORROSIVENESS/IRRITATION	6
(1) SKIN IRRITATION/CORROSION	6
(2) EYE IRRITATION/CORROSION	6
B. SKIN SENSITIZATION	6
C. RESPIRATORY SENSITIZATION	6
7. REFERENCES	8

SUBSTANCE INFORMATION**CA&Number** 25550-51-0**Name** Methyl Hexahydrophthalic Anhydride**Name** 1,3-Isobenzofurandione, Hexahydro-5-methyl-**EINECS-Number** 247-094-1/243-072-O**Molecular Formula** $C_9H_{12}O_3$ **Structural Formula****III - Me****Other Chemical Identity/Synonyms**

Hexahydromethyl- 1,3-Isobenzofurandione; MHHPA; Hexahydromethyl- 1,2-Cyclohexane-dicarboxylic anhydride; 5-methyl hexahydro- 1,3-isobenzofurandione; Hexahydro-4-Methylphthalic anhydride

Molecular Weight 168**Type of Substance**

element []; inorganic []; natural substance []; organic [X]; organometallic []; petroleum product []

Physical State (at 20°C and 1.013 hPa)

gaseous []; liquid []; solid []

Purity99% weight/weight (approx.) – Lonza Group
>99% weight/weight (approx.) – Dixie Chemical Company**SYNONYMS****IMPURITIES**

No Data

2. PHYSICAL-CHEMICAL DATA

A. MELTING POINT

Value: -30 °C
Decomposition: No Data
Sublimation: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, MHHPA MSDS, 3/3 1195

B. BOILING POINT

(a)
Value: **290 °C**
Pressure: No Data
Decomposition: No Data
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [4] Not assignable
Remarks: None
Reference: Lonza Inc./Lonza Spa, MHHPA MSDS, 3/3 1195

(b)
Value: 145 °C
Pressure: 3 mmHg
Decomposition: No Data
Method: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [4] Not assignable
Remarks: None
Reference: Dixie Chemical Company, Inc., MSDS (5/6/99)

C. VAPOUR PRESSURE

(a)
Value: 5.00 mm Hg
Temperature: 137 °C
Method: calculated ☐ ; measured ☐ ; ? ☒
No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lonza Inc./Lonza Spa, MHHPA MSDS, 3/31/95

C. VAPOUR PRESSURE (continued)

(b)

Value: 3.00 mm Hg
Temperature: 145 °C
Method: calculated []; measured [X]; ? []
No Data
GLP: Yes [] No [X] ? []
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Company, Inc., MSDS (5/6/99)

D. PARTITION COEFFICIENT $\log_{10} P_{ow}$

No Data

E. WATER SOLUBILITY

(a)

Value: <0.1% • Hydrolyzes
Temperature: No Data
Description: Miscible []; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility []; Of very low solubility []; Not soluble [X]
Method: No Data
GLP: Yes [] No [] ? [X]
Reliability: [4] Not assignable
Remarks : Hydrolyzes in water.
Reference: Lonza Inc./Lonza Spa, MHHPA MSDS, 3/3 1195

(b)

Value: No Data
Temperature: No Data
Description: Miscible []; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility []; Of very low solubility []; Not soluble [X]
Method: No Data
GLP: Yes [] No [X] ? []
Reliability: [4] Not assignable
Remarks: Reacts slowly with water.
Reference: Dixie Chemical Company, Inc., MSDS (516199)

(c)

Value: 36 g/L
Temperature: 20 °C
Description: Miscible []; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility []; Of very low solubility []; Not soluble []
Method: No Data
GLP: Yes [] No [X] ? []
Reliability: [4] Not assignable
Remarks: None
Reference: None
Reference: HEDSET Data Sheet, 1995

F. **pH Value, pKa Value**

No Data

3. **ENVIRONMENTAL FATE AND PATHWAYS**

A. **PHOTODEGRADATION**

No Data

B. **STABILITY IN WATER**

Slowly hydrolyzes to diacid.

C. **BIODEGRADATION**

(a)

Type: Aerobic ☒; Anaerobic ☐

Inoculum: Activated Sludge

Concentration: 100 mg/L (test substance)

Medium: No Data

Degradation: 0.0 %

Kinetics: No Data

Method: OECD Guideline 303A

Test Substance: Methyhexahydrophthalic anhydride (Purity unknown)

Results: Zero percent biodegradation as measured by BOD. Three replicate tests were run. MHHPA was hydrolyzed to corresponding acid.

Test Conditions: Test substance concentration was 100 mg/L. Activated sludge concentration was 30 mg/L with a test solution volume of 300 ml. Temperature was maintained at 25 °C and cultivation duration was 28 days.

GLP: Yes ☒ No ☐ ? ☐

Reliability: [2] Valid with restrictions

Remarks: None

Reference: Report summary cited by the Japan Chemical Industry Ecology-Toxicology Information Center, October, 1992.

D. **TRANSPORT AND DISTRIBUTION**

No Data

4. ECOTOXICITY

A. ACUTE/PROLONGED TOXICITY TO FISH

Type of Test: Semi-static (test water renewed at 24 hours)
Species/strain: *Oryzias latipes* (Orange-red killifish)
Exposure period: 48 Hours
Results: LC₅₀ = 500 mg/L (48 hour)
Temperature: No Data
Method: Not given
Test Substance: Methylhexahydrophthalic anhydride (unknown purity)
Analytical Monitoring: Yes [X]; No []; No Data []
Remarks: No other information was given.
GLP: Yes [] No [] ? [X]
Reliability: [2] Valid with restrictions
Reference: Report summary cited by the Japan Chemical Industry Ecology-Toxicology Information Center, October, 1992.

B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA

No Data

C. TOXICITY TO AQUATIC PLANTS - ALGAE

No Data

5. TOXICITY

A. ACUTE TOXICITY

(1) ACUTE ORAL TOXICITY

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rats
Value: 3300 mg/kg
Method: Oral ingestion.
GLP: Yes [] No [] ? [X]
Test substance: No Data
Remarks: No other data was supplied.
Reliability: [2] Valid with restrictions
Reference: Milliken Chemical Company, *Specialty Intermediates Pamphlet* AN-482-06 (9/96);
Milliken Chemical Company, *Unpublished Report*, cited in MSDS No. 790773, January 17, 2000.

(2) ACUTE INHALATION TOXICITY

No Data

(3) ACUTE DERMAL TOXICITY

No Data

B. REPEATED DOSE TOXICITY (General)

No Data

C. GENETIC TOXICITY IN VITRO

(1) BACTERIAL

No Data

(2) NON-BACTERIAL *IN VITRO* TEST (CHROMOSOME ABERRATION)

No Data

D. REPRODUCTIVE TOXICITY

No Data

E. DEVELOPMENTAL TOXICITY

No Data

6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY

A. CORROSIVENESS/IRRITATION

(1) SKIN IRRITATION/CORROSION

No Data

(2) EYE IRRITATION/CORROSION

Specific studies were unavailable; however, in accordance with Directive 67/548/EEC, appropriate risk (R) phrases for MHHPA include: "Risk of Serious Damage to the Eyes".

B. SKIN SENSITIZATION

Specific studies were unavailable; however, in accordance with Directive 67/548/EEC, appropriate risk ® phrases for MHHPA include: "May cause sensitization by inhalation and skin contact."

C. RESPIRATORY SENSITIZATION

Organic acid anhydrides in general are low molecular weight, reactive molecules that have been associated with mucosal irritation, skin and respiratory sensitization, severe eye irritation and mild to moderate skin irritation. Some of these compounds are corrosive to the eyes. Sensitization has been noted in various studies on both humans and animals; however, no studies were found for NMA. Symptoms of over-exposure include rhinitis, conjunctivitis and asthma-like effects. Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers.

References: Grammer, et. al, 1994 and 1995 (HHPA); Kanerva, et al., 1997 and 1997; Welinder, 1991 (MHHPA) Welinder, et al., 1990 and 1994 (MTHPA); Buffalo Color Corporation, 1995 (NMA)

C. RESPIRATORY SENSITIZATION (continued)

(a)

Method: Case report

Results: This article includes a case report of a woman who worked as a cleaner in a condenser factory. The condensers were filled with epoxy resin, a hardener, an accelerator and pigment. Approximately seven months after MHPA was brought into use as the hardener, the worker came down with rhinitis and coughing. RASTs and prick tests for MHPA-HAS(Human Serum Albumin Conjugates) were positive. Bronchial challenge with MHPA was negative but the intense rhinitis evoked by the test confirmed occupational IgE mediated allergic rhinitis due to MHPA. Positive prick test reactions indicated cross-reactivity between MHPA-HAS and PA, maleic anhydride, trimellitic anhydride and MTHPA. RASTs to PA and MTHPA were also positive.

Reliability:

Remarks: Estimation or measurement of ambient air concentrations of MHPA in the workplace were not given although occasional skin contact was noted.

Reference: Kanerva, L., et al., 1991

(b)

Method: Guinea pigs were immunized intradermally with a single dose of 0.3 M solution of MHPA and other anhydrides. Specific IgE and IgG antibodies specific for guinea-pig serum albumin conjugates of the anhydrides were determined by passive cutaneous anaphylaxis (PCA) tests and enzyme-linked immunoabsorbant assay (ELISA).

Results: Specific IgG levels were increased in all animals immunized with MHPA and specific IgE antibodies were positive.

Reliability:

Remarks: Product purity was $\geq 97\%$. Specific IgG, totals were analyzed by ELISA assay. PCA was used for analysis of IgE. The primary purpose of this article was to investigate structure activity relationships of organic acid anhydrides. The authors concluded that substitution of a hydrogen atom for a methyl group enhanced antibody formation. This substitution appeared to be the most marked general effect of chemical structure on immunogenicity.

Reference: Welinder, H., et al., 1995

7. REFERENCES

- Dixie Chemical Company, Inc., *Material Safety Data Sheet for Methyl Hexahydrophthalic Anhydride* (S/6/99)
- Grammer, L. C. et al., *Hemorrhagic Rhinitis -An Immunologic Disease due to Hexahydrophthalic Anhydride*, Chest 104(6): 1792-1794, 1993
- Grammer, L. C. et al., *Risk Factors for Immunologically Mediated Respiratory Disease from Hexahydrophthalic Anhydride*, J. Occup. Med. 36(6):642-646, 1994
- HEDSET Data Sheet, (Lonza Inc./Lonza Spa), 03/03/95.
- Japan Chemical Industry Ecology-Toxicology Information Center, *Cited Report Summary*, October, 1992
- Kanerva, L., et al., *Allergic Contact Dermatitis from Non-Diglycidyl-Ether-of-Bisphenol-A Epoxy Resins*, Contact Dermatitis 24: 293-300, 1991
- Kanerva, L. et al., *Delayed and Immediate Allergy caused by Methylhexahydrophthalic Anhydride*, Contact Dermatitis 36(1):34-38, 1997
- Kanerva, L. et al., *Airborne Allergic Contact Urticaria from Methylhexahydrophthalic Anhydride and Hexahydrophthalic Anhydride* Contact Dermatitis 41(6):339-341, 1999
- Klimisch, H. J., et al., *A systematic Approach for Evaluating the Quality of Experimental and Ecotoxicological Data*, Regulatory Toxicol. & Pharmacol. 25:1-5, 1997.
- Lonza Group, *Material Safety Data Sheet for Methyl Hexahydrophthalic Anhydride*, 3/3 1/95
- Savolainen, H., and P. Pfaeffli. *Acta Pharmacol. Toxicol. (Copenhagen)* 59(3): 209-213, 1986
- Welinder, H., *Specific Antibodies to Methyltetrahydrophthalic Anhydride in Exposed Workers*, Clin. Exp. Allergy 20(6):639-646, 1990
- Welinder, H. and Nielsen, J., *Immunologic Tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991
- Welinder, H. E. et al., *Exposure-Response Relationships in the Formation of Specific Antibodies to Hexahydrophthalic Anhydride in Exposed Workers*, Scand. J. Work Environ. Health 20(6):459-465, 1994
- Welinder, H., et al., *Structure-Activity Relationships of Organic Acid Anhydrides as Antigens in an Animal Model*, Toxicology 103:127-136, 1995

HIGH PRODUCTION VOLUME (HPV)

CHALLENGE PROGRAM

APPENDIX 4

ROBUST SUMMARIES

FOR

**METHYLTETRAHYDROPHTHALIC ANHYDRIDE
(34090-76-1)**

Submitted to the U.S. EPA

BY

The Industrial Health Foundation, Inc. Cyclic Anhydride Committee

Consortium Registration Number:

March, 2001

1. SUBSTANCE INFORMATION

CAS-Number **34090-76-1**


Name Methyltetrahydrophthalic Anhydride

Name Tetrahydro-5-methyl- 1,3-Isobenzofurandione

EINECS-Number 251-823-9

Molecular Formula $C_9H_{10}O_3$

Structural Formula



Other Chemical Identity/Synonyms 4-Methyltetrahydrophthalic Anhydride; Tetrahydro-4-methylphthalic anhydride; MTHPA

Molecular Weight 166

Type of Substance element []; inorganic []; natural substance []; organic [X]; organometallic []; petroleum product []

Physical State (at 20°C and 1.013 hPa)
gaseous []; liquid [X]; solid []

Purity No Data

SYNONYMS Methyltetrahydrophthalic anhydride

IMPURITIES

No Data

2. PHYSICAL-CHEMICAL DATA

A. MELTING POINT

No Data

B. BOILING POINT

(a)

Value: > 585 °F
Pressure: No Data
Decomposition: No Data
Method: ASTM D-86
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lindau Chemical, MSDS for Lindride 12 (5/1/95)

(b)

Value: 283 °C
Pressure: 760 mm Hg
Decomposition: No Data
Method: No Data
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Company, Inc., MSDS for ECA 100 (113100)

C. VAPOUR PRESSURE

(a)

Value: 0.002 mm Hg
Temperature: 25 °C
Method: calculated ☒; measured ☐; ? ☐
GLP: Yes ☐ No ☒ ? ☐
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Dixie Chemical Company, Inc., MSDS for ECA 100 (1/3/00)

(b)

Value: Negligible
Temperature: 16 °C (60 °F)
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Lindau Chemical, MSDS for Lindride 12 (5/1/95)

(c)

Value: Negligible
Temperature: 60 “1100 °F
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks : N o n e
Reference: Lindau Chemical, MSDS for Lindride 12 (5/1/95)

D. PARTITION COEFFICIENT $\log_{10}P_{ow}$

No Data

E. WATER SOLUBILITY

Value: No Data

Temperature: No Data

Description: Miscible ☐; Of very high solubility ☐;
Of high solubility ☐; Soluble ☐; Slightly soluble ☐;
Of low solubility ☐; Of very low solubility ☐; Not soluble ☒

Method: No Data

GLP: Yes ☐ No ☐ ? ☒

Remarks: Slowly hydrolyzes to diacid in water.

Reference: Lindau Chemical, MSDS for Lindride 12 (5/1/95)

F. pH Value, pKa Value

No Data

3. ENVIRONMENTAL FATE AND PATHWAYS

A. PHOTODEGRADATION

No Data

B. STABILITY IN WATER

Hydrolyzes to diacid.

C. BIODEGRADATION

No Data

D. TRANSPORT AND DISTRIBUTION

No Data

4. ECOTOXICITY

A. ACUTE/PROLONGED TOXICITY TO FISH

Type of Test: Semi-static
Species/strain: *Oryzias latipes* (Ricefish)
Exposure period: 96 Hours
Results: LC₅₀: > 100 mg/L (96 hour)
Temperature: No Data
Method: "OECD Guidelines"
Test Substance: Methyltetrahydrophthalic anhydride (unknown purity)
Analytical Monitoring: Yes []; No []; No Data [X]
Remarks: A semi-static system was used with renewal of water every 24 hours. No additional information available.
GLP: Yes [X] No [] ? []
Reliability: [2] Valid with restrictions
Reference: Office of Environmental Risk Assessment, Ministry of Environment, 1997.

B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA

Type of Test: static
Species/strain: *Daphnia magna*
Exposure period: 48 Hours
Results: EC₅₀= 130 mg/L (48 hours)
Temperature: No Data
Method: "OECD Guidelines"
Test Substance: Methyltetrahydrophthalic anhydride (unknown purity)
Analytical Monitoring: Yes []; No []; No Data [X]
Remarks: No additional information available.
GLP: Yes [X] No [] ? []
Reliability: [2] Valid with restrictions
Reference: Office of Environmental Risk Assessment, Ministry of Environment, Japan, 1997.

C. TOXICITY TO AQUATIC PLANTS - ALGAE

Type of Test: Static - Growth inhibition
Species/strain: *Selenastrum Capricorn* (green algae)
Exposure period: 72 Hours
Results: EC₅₀= 79 mg/L (72 hours)
NOEC= 32 mg/L (72 hours)
Temperature: No Data
Method: "OECD Guidelines"
Test Substance: Methyltetrahydrophthalic anhydride (unknown purity)
Analytical Monitoring: Yes []; No []; No Data [X]
Remarks: None
GLP: Yes [X] No [] ? []
Reliability: [2] Valid with restrictions
Reference: Office of Environmental Risk Assessment, Ministry of Environment, Japan, 1997.

TOXICITY

ACUTE TOXICITY

(1) ACUTE ORAL TOXICITY

(a)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Crj : CD Rats
Value: > 2000 mg/kg (for both males and females)
Method: OECD Test Guideline 40 I
GLP: Yes [X] No [] ? []
Test substance: Methyltetrahydrophthalic anhydride (99.97% purity)
Remarks: Five (5) rats/sex were gavaged at 0, 500, 1000, or 2000 mg/kg of MTHPA in corn oil. Decreased birth weight, hypoactivity, shortness of breath and prone position were noted at 2000 mg/kg after 1 day. At necropsy, thickening, inflammation, adhesions, and squamous metaplasia of forestomach were seen at the two highest doses. No deaths occurred at any dose.
Reliability: [1] valid without restrictions
Reference: Safety Assessment Laboratory, Panapharm Laboratories Co., Ltd., 1285 Kurisaki-machi, Uto-shi, Kumamoto, X69-0, Japan, 1997.

(b)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Sprague-Dawley Derived Rats
Value: 3.69 ml/kg (-4.46 g/kg)
Method: Groups of five male rats (205-275 g) were orally gavaged with undiluted material at dose levels of 0.464, 1.0, 2.15, 4.64 and 10 ml/kg. Animals were clinically observed for 14 days post-dosing. Gross autopsies were performed on all decedents and on all survivors at 14 days. This was an FHSA method (Code of Federal Regulations, Title 16, Chapter III, 1976).
GLP: Yes [] No [X] ? []
Test substance: Undiluted liquid
Remarks: The 95% confidence limits for this LD₅₀ were 2.27-5.99 ml/kg. No deaths were seen at 0.464 or 1.0 ml/kg, 1 of 5 rats died at 2.15 ml/kg, 3 of 5 died at 4.64 ml/kg and 5 of 5 died at 10 ml/kg. At doses ≥ 2.15 ml/kg, clinical signs included hyperactivity but no depression of bodyweight. Gross autopsy of decedents revealed gas and irritation in the intestinal tract and congestion of major organs. At 10 ml/kg, all deaths occurred within 24 hours. At other doses deaths occurred between 3 and 14 days. Gross autopsy on survivors was unremarkable.
Reliability: [2] valid with restrictions
Reference: Hill Top Research. *Unpublished Report* 78-645-21, July 25, 1978.

(c)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rat
Value: 2140 µl/kg (-2589 mg/kg)
Method: Range Finding Study
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: Details not reported except for 95% confidence limit (1480-3100 ml/kg).
Reliability: [2] valid with restrictions
Reference: H. F. Smyth. American Industrial Hygiene Association Journal 30:470, 1969;
Dixie Chemical Company, Inc., MSDS for ECA 100 (113100)

(2) ACUTE INHALATION TOXICITY

No Data

(3) ACUTE DERMAL TOXICITY

(a)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rabbit
Value: 1410 µl/kg (-1706 mg/kg)
Method: No Data
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: Details not reported
Reliability: [2] valid with restrictions
Reference: H.F. Smyth, 1969
Dixie Chemical Company, Inc., MSDS for ECA 100 (113100)

(b)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rat
Value: >2000 mg/kg
Method: Limit test; OCSE Linea Diretrrice 402, 1987.
GLP: Yes [X] No [] ? []
Test substance: No Data
Remarks: No details given.
Reliability: [2] valid with restrictions
Reference: Safephaun Laboratories Limited, U.K., 1987.

B. REPEATED DOSE TOXICITY (General)

Type: Combined screening study to assess repeated dose toxicity, reproductive performance of male and female rats, and developmental toxicity potential.
Species/strain: Crj:CD (SD) rats
Sex: Female []; Male []; Male/Female [X]; No Data []
Route of Administration: Oral gavage
Exposure period: Males - 49 days; Females - 14 days before mating to day 3 of lactation (5 1 days). Terminal sacrifice of males occurred on day 50. Females were sacrificed on day 4 of lactation.
Frequency of treatment: 1 dose/day
Post exp. observation period: None
Dose: 0, 30, 100, and 300 mg/kg/day in corn oil
Control group: Yes []; No []; No Data []; Concurrent no treatment []; Concurrent vehicle [X]; Historical []
NOEL: Males - 30 mg/kg/day; Females - 100 mg/kg/day
LOEL: Males - 100 mg/kg/day; Females - 300 mg/kg/day

B. REPEATED DOSE TOXICITY (continued)

Results: MTHPA had no effect on body weight or food consumption at any dose level. The only adverse clinical sign was transient salivation in the 300 mg/kg groups. At termination, hematology was unremarkable in all groups but blood chemistry determinations showed decreased total cholesterol and BUN as well as increased triglycerides in males at 300 mg/kg. Upon autopsy, mucosal thickening of the forestomach in both sexes and increased adrenal weights in males were seen at the 300 mg/kg dose level. Histopathological examination revealed squamous metaplasia of the forestomach in males at 100 mg/kg and in both sexes at 300 mg/kg. Other forestomach changes seen at the 300 mg/kg dose included submucosal granulomatous inflammation, epithelial vacuolar change, edema, cellular infiltration and erosion. Other than suggestions of chronic irritation at the site of administration, no target organ for MTHPA was evident. The NOEL was reported to be 30 mg/kg in males and 100 mg/kg in females.

Method: OECD Guideline No. 422: Combined Repeat Dose and Reproductive/Developmental Toxicity Screening Test

GLP: Yes [X]; No []; ? [X]

Test substance: Methyltetrahydrophthalic anhydride (99.97% purity)

Reliability: [1] Valid without restriction

Reference: Report from Safety Assessment Laboratory, Panapharm Laboratories Co., Ltd., 1285 Kurisaki-machi, Uto-shi, Kumato, 869-04, Japan, 1997.

C. GENETIC TOXICITY IN VITRO

(1) BACTERIAL

Type: Bacterial reverse mutation assay (Ames test)

Species/strain: *Salmonella typhimurium* bacteria (Strains TA 98, TA 100, TA 1535, and TA 1537); *Escherichia coli* bacteria (WP 2)

Test System: Pre-incubation method

Concentration: 62.5-2000 µg/plate for *S. typhimurium* without S9 activation; 156-5000 µg/plate for *E. coli* without S9 activation; 3 13-5000 µg/plate for *S. typhimurium* and *E. coli* with S9 activation

Metabolic Activation: With [X]; Without [X]

Results: Non-mutagenic

Cytotoxic Concentration: 500 µg/plate for TA 1535; 1000 µg/plate for TA 100, TA 98, and TA 1537 without S9 activation; 2500 µg/plate for *E. coli* without S9 activation; 5000 µg/plate for TA 100 and TA 1537 with S9 activation

Precipitation: Not applicable

Genotoxic Effects: Negative in *E. coli* and all strains of *S. typhimurium* with and without metabolic (S9) activation

Method: OECD Guidelines 47 1 and 472

GLP: Yes [X] No [] ? []

Test substance: Methyltetrahydrophthalic anhydride (99.97% purity by weight)

Remarks: Four strains of *S. typhimurium* (TA 98, TA 100, TA 1535, and TA 1537) and one strain of *E. coli* (WP2) were tested using a pre-incubation method. Three culture plates and two replicates were used at each dose level in both the presence and absence of a S9 rat liver homogenate. Appropriate positive controls were used with S9 (2AA) and without S9 (AF2, 9AA, SA) activation.

Reliability: [1] Valid without restrictions.

Reference: Hatano Research Institute Report, Food and Drug Safety Center, 729-5 Ochai, Hadano-shi, Kanagawa, 257, Japan, 1997.

(2) NON-BACTERIAL IN VITRO TEST (chromosome aberration)

Type: Cytogenetic assay (chromosomal aberration)
Species/strain: Chinese Hamster Lung (CHL/IU) cells
Test System: Chinese Hamster Lung
Concentration: Continuous treatment without S9 activation – 0, 0.075, 0.15, and 0.30 mg/ml; Short-term treatment without S9 activation – 0, 0.05, 0.10 and 0.20 mg/ml; Short-term treatment with S9 activation – 0, 0.11, 0.21, and 0.43 mg/ml.
Metabolic Activation: With [X]; Without [X]
Results: Negative for chromosomal aberration. Equivocal for polyploidy.
Cytotoxic Concentration: Unknown
Precipitation: Not applicable
Genotoxic Effects: Structural chromosomal aberrations were not induced following 24 hours of continuous treatment. Polyploidy (1.13-1.88%) was weakly induced at 0.3 mg/ml without S9 activation after 48 hours of continuous treatment and at all concentrations (0.1-0.43 mg/ml) with short-term treatment and S9 activation.
Method: OECD Guideline 473
GLP: Yes [X] No [] ? []
Test substance: Methyltetrahydrophthalic anhydride (99.97% purity by weight)
Remarks: The maximum dose tested is a concentration of the test substance that produces a 50% or greater inhibition of cell growth or mitosis. Several lower graded dose levels were also used. Two culture plates/dose level were used and S-9 was prepared from rat liver induced with phenobarbital and 5,6-benzoflavone.
Reliability: [1] Valid without restrictions.
Reference: Hatano Research Institute Report, Food and Drug Safety Center, 729-5 Ochai, Hadano-shi, Kanagawa, 257, Japan, 1997.

D. REPRODUCTIVE TOXICITY

Type: Combined screening study to assess repeated dose toxicity, reproductive performance of male and female rats, and developmental toxicity potential.
Species/strain: Crj:CD (SD) rats
Sex: Female []; Male []; Male/Female [X]; No Data []
Route of Administration: Oral gavage
Exposure period: Males – 49 days; Females – 14 days before mating to day 3 of lactation (51 days). Terminal sacrifice of males occurred on day 50. Females were sacrificed on day 4 of lactation.
Frequency of treatment: 1 dose/day
Post exp. observation period: None
Dose: 0, 30, 100, and 300 mg/kg/day in corn oil
Control group: Yes []; No []; No Data []; Concurrent no treatment []; Concurrent vehicle [X]; Historical []
NOEL: Males/Females – 300 mg/kg/day
LOEL: Males/Females – > 300 mg/kg/day
Results: No effects were observed on estrous cycle, numbers of corporeal lutea and implantations, copulation index, or fertility indices. Examination at delivery and during the lactation period showed no effects on the length of gestation, litter size, live newborns, gestational, stillborn and birth indices, sex ratio, body weight of offspring at birth and at day 4 after birth, or viability index on day 4. No external anomalies were apparent. The NOEL from this screening study was greater than 300 mg/kg for male and female reproductive performance and for developmental toxicity.

D. REPRODUCTIVE TOXICITY (continued)

Method: OECD Guideline No. 422: Combined Repeat Dose and Reproductive/Developmental Toxicity Screening Test
GLP: Yes [X]; No []; ? [X]
Test substance: Methyltetrahydrophthalic anhydride (99.97% purity)
Reliability: [1] Valid without restriction
Reference: Report from Safety Assessment Laboratory, Panapharm Laboratories Co., Ltd., 1285 Kurisaki-machi, Uto-shi, Kumato, 869-04, Japan, 1997

E. DEVELOPMENTAL TOXICITY

Type: Combined screening study to assess repeated dose toxicity, reproductive performance of male and female rats, and developmental toxicity potential.
Species/strain: Crj:CD (SD) rats
Sex: Female []; Male []; Male/Female [X]; No Data []
Route of Administration: Oral gavage
Exposure period: Males – 49 days; Females 14 days before mating to day 3 of lactation (51 days). Terminal sacrifice of males occurred on day 50. Females were sacrificed on day 4 of lactation.
Frequency of treatment: 1 dose/day
Post exp. observation period: None
Dose: 0, 30, 100, and 300 mg/kg/day in corn oil
Control group: Yes []; No []; No Data []; Concurrent no treatment []; Concurrent vehicle [X];
Historical []
NOEL: Males/Females – 300 mg/kg/day
LOEL: No Data
Results: No effects were observed on estrous cycle, numbers of corporeal lutea and implantations, copulation index, or fertility indices. Examination at delivery and during the lactation period showed no effects on the length of gestation, litter size, live newborns, gestational, stillborn and birth indices, sex ratio, body weight of offspring at birth and at day 4 after birth, or viability index on day 4. No external anomalies were apparent. The NOEL from this screening study was greater than 300 mg/kg for male and female reproductive performance and for developmental toxicity.
Method: OECD Guideline No. 422: Combined Repeat Dose and Reproductive/Developmental Toxicity Screening Test
GLP: Yes [X]; No []; ? [X]
Test substance: Methyltetrahydrophthalic anhydride (99.97% purity)
Reliability: [1] Valid without restriction
Reference: Report from Safety Assessment Laboratory, Panapharm Laboratories Co., Ltd., 1285 Kurisaki-machi, Uto-shi, Kumato, 869-04, Japan, 1997

6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY

A. CORROSIVENESS/IRRITATION

(1) SKIN IRRITATION/CORROSION

Type of Test: Primary Irritation
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating []; Moderate irritating []; Slightly irritating [X]; Not irritating []
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating [X]; Not irritating []
Method: Draize test
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: Score of 1 on a 10 point scale. Classified as irritating in accordance with EC Directive 67/548/EEC.
No other details.
Reliability: [2] valid with restrictions
Reference: H.F. Smyth, 1969.

(2) EYE IRRITATION/CORROSION

Type of Test: Primary Eye Irritation
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [X];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not irritating []; Risk of serious damage to eyes [X]
Method: Draize test
GLP: Yes [] No [X] ? []
Test substance: No Data
Remarks: Score of 9 on a 10 point scale. Classified as irritating in accordance with EC Directive 67/548/EEC.
Reliability: [2] valid with restrictions
Reference: H.F. Smyth, 1969.

B. SKIN SENSITIZATION

Specific studies were unavailable; however, in accordance with Directive 67/548/EEC, appropriate risk ® phrases for MHPA include: "May cause sensitization by inhalation and skin contact."

C. RESPIRATORY SENSITIZATION

Note: Organic acid anhydrides in general are low molecular weight, reactive molecules that have been associated with mucosal irritation, skin and respiratory sensitization, severe eye irritation and mild to moderate skin irritation. Some of these compounds are corrosive to the eyes. Sensitization has been noted in various studies on both humans and animals; however, no studies were located for NMA. Symptoms of over-exposure include rhinitis, conjunctivitis and asthma-like effects. Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers.

References: Grammer, et. al, 1994 and 1995 (HHPA); Kanerva, et al., 1997 and 1997; Welinder, 1991 (MHPA)
Welinder, et al., 1990 and 1994 (MTHPA); Buffalo Color Corporation, 1995 (NMA)

B. RESPIRATORY SENSITIZATION (continued)

(a)

Method: A group of 145 workers exposed to MTHPA was investigated. The group was divided into three different exposure categories according to their contact with the epoxy resin. The average exposure levels at the time of the investigation were: 0.085 mg/m³ (Zone I), 0.014 mg/m³ (Zone II), and 0.010 mg/m³ (Zone III) though the exposure was probably higher earlier.

Results: Specific IgE antibodies (RAST) to a conjugate between MTHPA and human serum albumin (HAS) were statistically significantly increased ($P = 0.001$; 26 subjects = 18% positive) in the exposed group, compared to a non-exposed control group ($n = 33$). Twenty-three exposed subjects were also skin-prick test positive to MTHPA-HAS. There was an association between exposure intensity and RAST-positive persons. The authors conclude that MTHPA is a sensitizing agent at low levels of exposure.

Reliability: [2] Valid with restrictions

Remarks: One worker positive to specific IgE antibodies to a conjugate between MTHPA and human serum albumin was only exposed for 2 months. Forty-four persons (30%) were smokers, and 16 (11%) atopics.

Reference: Welinder, et al., 1990

(b)

Method: In this case study, a 22 year old non-smoking male exhibited work-associated rhinitis and asthma. Bronchial hyperreactivity following provocation with methacholine, skin prick test positivity and specific immunoglobulin E (IgE) serum antibodies against a MTHPA conjugate were noted.

Results: The disease appeared to be caused by an IgE-mediated allergy to MTHPA.

Reliability: [2] Valid with restrictions

Remarks: The patient had a heredity of rhinitis. About 4 months after beginning a job which involved working with MTHPA and methyl imidazole, he experienced nasal secretion and congestion during work. Some time later, he developed chest tightness, a continual productive cough and occasional wheezing. A skin prick test was positive to a conjugate of MTHPA and human serum albumin (HAS). None of the 34 unexposed reference workers in a nearby factory were positive to MTHPOA-HAS. The total immunoglobulin (Ig)E level was 235 kU/l. In the radioallergosorbent test (RAST), specific IgE antibodies to MTHPA-HAS were found (RAST ratio 7.5). In the enzyme-linked immunosorbent assay (ELISA), specific IgG antibodies were not present (optical density 0.32). Sera from 30 referents had a median total IgE of 11 (range 1-127) kU/l. When tested with MTHPA-HAS, the referents' RAST ratio for IgE was 1.1 (range 0.7-2.0), and their ELISA value for specific IgG was 0.04 (range 0-0.4) in optical density. After a period of vacation, he was removed from exposure to MTHPA. Symptoms gradually disappeared during the next five weeks. The day before a second examination, he was once more exposed to MTHPA at his work site. After about 2 H of exposure, he suffered from nasal congestion and irritation. The time weighted MTHPA exposure at the original job site was 0.1 mg/m³.

Reference: Nielsen, J., et al., 1989

(c)

Method: In this case study, a patient positive to a prick test with MTHPA-HAS and specific IgE determination (who had been occupationally exposed to MTHPA) underwent a bronchial provocation test to cold MTHPA, heated MTHPA, and a placebo.

Reliability: [2] Valid with restrictions

Results: The bronchial provocation test with the placebo and cold MTHPA (0.2 mg/m³) were negative. The bronchial provocation test to MTHPA heated to workroom temperature (100 °C) was positive. The MTHPA concentration in the chamber air was 7 mg/m³ during the 30 minute provocation test. Wheezing and rales were induced after 6 H. After six months without exposure, the patient had fewer symptoms. The patient was diagnosed with probable occupational asthma caused from sensitization to MTHPA.

Reference: Kanerva, L., et al., 1991

6. REFERENCES

Dixie Chemical Company, Inc., *Material Safety Data Sheet for ECA 100* (1/3/00)

Grammer, L. C. et al., *Hemorrhagic Rhinitis -An Immunologic Disease due to Hexahydrophthalic Anhydride*, Chest 104(6):1792-1794, 1993

Grammer, L. C. et al., *Risk Factors for Immunologically Mediated Respiratory Disease from Hexahydrophthalic Anhydride*, J. Occup. Med. 36(6):642-646, 1994

H.F. Smyth. *American Industrial Hygiene Association Journal* 30:470, 1969.

Hill Top Research. *Unpublished Report 78-645-2 1*, July 25, 1978.

Hatano Research Institute Report, Food and Drug Safety Center, 729-5 Ochai, Hadano-shi, Kanagawa, 257, Japan, 1997.

Kanerva, L. et al., *Delayed and Immediate Allergy caused by Methylhexahydrophthalic Anhydride*, Contact Dermatitis 36(1):34-38, 1997

Kanerva, L. et al., *Airborne Allergic Contact Urticaria from Methylhexahydrophthalic Anhydride and Hexahydrophthalic Anhydride* Contact Dermatitis 41(6):339-341, 1999

Kanerva, L., et al., *Immediate and Delayed Allergy from Epoxy Resins Based on Diglycidyl Ether of Bisphenol A*, Scand. J. Work Environ. Health 17: 208-215, 1991.

Klimisch, H. J., et al., *A systematic Approach for Evaluating the Quality of Experimental and Ecotoxicological Data*, Regulatory Toxicol. & Pharmacol. 25:1-5, 1997.

Lindau Chemical, *Material Safety Data Sheet for Lindride 12* (5/1/95)

Nielsen, J., et al., *Allergic Airway Disease Caused by Methyl Tetrahydrophthalic Anhydride in Epoxy Resin*, Scand. J. Work Environ. Health 15:154-155, 1989.

Office of Environmental Risk Assessment, Ministry of Environment, Japan, Summary "Ecotoxicity Data Table, (Web Address: <http://www.eic.orjp/earnet/sesaku/hyo.html>), 1997.

Safephaun Laboratories Limited, U.K., *Unpublished Report*, 1987.

Safety Assessment Laboratory, Panapharm Laboratories Co., Ltd., 1285 Kurisaki-machi, Uto-shi, Kumamoto, 869-0, Japan, 1997,

Welinder, H., et al., *Specific Antibodies to Methyltetrahydrophthalic Anhydride in Exposed Workers*, Clin. Exp. Allergy 20(6):639-646, 1990.

Welinder, H. and Nielsen, J., *Immunologic Tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991

Welinder, H. E. et al., *Exposure-Response Relationships in the Formation of Specific Antibodies to Hexahydrophthalic Anhydride in Exposed Workers*, Scand. J. Work Environ. Health 20(6):459-465, 1994

**HIGH PRODUCTION VOLUME (HPV)
CHALLENGE PROGRAM**

**APPENDIX 5
ROBUST SUMMARIES
FOR
NADIC METHYL ANHYDRIDE
(25134-21-8)**

Submitted to the U.S. EPA

BY

The Industrial Health Foundation, Inc. Cyclic Anhydride Committee

Consortium Registration Number:

March, 2001

CONTENTS

	<u>Page</u>
1. SUBSTANCE INFORMATION	1
2. PHYSICAL-CHEMICAL DATA	2
A. MELTING POINT	2
B. BOILINGPOINT	2
C. VAPOR PRESSURE	2
D. PARTITION COEFFICIENT n-OCTANOL/WATER	3
E. WATER SOLUBILITY	3
F. pH VALUE, pKa VALUE	3
3. ENVIRONMENTAL FATE AND PATHWAYS	4
A. PHOTODEGRADATION	4
B. STABILITY IN WATER	4
C. BIODEGRADATION..	4
D. TRANSPORT AND DISTRIBUTION	4
4. ECOTOXICITY	4
A. ACUTE/PROLONGED TOXICITY TO FISH..	4
B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA	4
C. TOXICITY TO AQUATIC PLANTS ALGAE..	5
5. TOXICITY.	5
A. ACUTE TOXICITY..	5
(1) ACUTE ORAL TOXICITY..	5
(2) ACUTE INHALATION TOXICITY..	5
(3) ACUTE DERMAL TOXICITY	6
B. REPEATED DOSE TOXICITY (GENERAL)	6
C. GENETIC TOXICITY IN VITRO	6
(1) BACTERIAL TEST..	6
(2) NON-BACTERIAL IN VITRO TEST	7
D. REPRODUCTIVE TOXICITY	7
E. DEVELOPMENTAL TOXICITY	7
6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY.. ..	7
A. CORROSIVENESS/IRRITATION	7
(1) SKIN IRRITATION/CORROSION	7
(2) EYE IRRITATION/CORROSION..	8
B. SKIN SENSITIZATION	8
C. RESPIRATORY SENSITIZATION	9
7. REFERENCES	10

1. SUBSTANCE INFORMATION

CAS-Number 25134-21-8


Name Nadic Methyl Anhydride

Name 5-Norbornene-2,3-Dicarboxylic Anhydride, Methyl-; Methyl-5-norbornene-2,3-dicarboxylic; 4,7-Methanoisobenzofuran-1,3-dione,3a,4,7,7a-tetrahydromethyl; Methylbicyclo (2,2,1) hept-5-ene-2,3-dicarboxylic anhydride; Nadic Methyl Anhydride; NMA

EINECS-Number 2466448

Molecular Formula C₁₀H₁₀O₃

Structural Formula



D1-Me

Other Chemical Identity/Synonyms

Methyl-5-norbornene-2,3-dicarboxylic anhydride; 4,7-Methanoisobenzofuran-1,3-dione,3a,4,7,7a-tetrahydromethyl; Methylbicyclo (2,2,1) hept-5-ene-2,3-dicarboxylic anhydride; Nadic Methyl Anhydride; NMA

Molecular Weight 178.2

Type of Substance

element []; inorganic []; natural substance []; organic [X]; organometallic []; petroleum product []

Physical State (at 20°C and 1.013 hPa)

gaseous []; liquid [X]; solid []

Purity 99% weight/weight

SYNONYMS

Bicyclo (2,2,1) Hept-5-ene-2,3-Dicarboxylic Anhydride, Methyl; 5-Norbornene-2,3-Dicarboxylic Anhydride,Methyl-; 4,7-Methanoisobenzofuran-1,3-dione,3a,4,7,7a-tetrahydromethyl; Nadic Methyl Anhydride; NMA

IMPURITIES

CAS No: Not Found

EINECS No: Not Listed

Name: Free Acid

Value: 1% (maximum weight/weight)

2. PHYSICAL-CHEMICAL DATA

A. MELTING POINT

Value: <18 °C
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Sublimation: Yes ☐ No ☒ Ambiguous ☐
Method: N o D a t a
GLP: Yes ☐ No ☐ ? ☒
Reliability: [4] Not assignable
Remarks: Becomes "glassy"
Reference: Buffalo Color Corporation, 12195; Buffalo Color Corporation, *MSDS 127-2641* (12/8/97)

B. BOILING POINT

Value: 140 °C (Approximate)
Pressure: 10 mm Hg
Decomposition: Yes ☐ No ☒ Ambiguous ☐
Method: No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [4] Not assignable
Remarks: None
Reference: Buffalo Color Corporation, *MSDS 127-2641* (12/8/97); Lonza Inc./Lonza Spa, NMA *MSDS*, 12114198

C. VAPOR PRESSURE

(a)
Value: 1.5 mm Hg
Temperature: 30 °C
Method: calculated ☐; measured ☐ ? ☒
No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: Estimated
Reference: Buffalo Color Corporation, Technical Bulletin, "Anhydrides"

(b)
Value: 5.0 mm Hg
Temperature: 120 °C
Method: calculated ☐; measured ☐ ? ☒
No Data
GLP: Yes ☐ No ☐ ? ☒
Reliability: [2] Valid with restrictions
Remarks: None
Reference: Buffalo Color Corporation, *MSDS 127-2641* (12/8/97); Lonza Inc./Lonza Spa, NMA *MSDS*, 12/14/98

C. VAPOR PRESSURE (continued)

(c)

Value: 0.1 mm Hg
Temperature: 20 °C
Method: calculated []; measured [] ? [X]
No Data
GLP: Yes [] No [] ? [X]
Reliability: [2] Valid with restrictions
Remarks: Approximate
Reference: Buffalo Color Corporation, Technical Bulletin, "Anhydrides"

D. PARTITION COEFFICIENT $\log_{10} P_{ow}$

Log₁₀ Pow: 1.35 ± 0.03
Temperature: No Data
Method: calculated []; measured [] ? [X]
GLP: Yes [] No [] ? [X]
Reliability: [4] Not assignable
Remarks: Octanol/Water Partition Coefficient, P = 22.4
Reference: Eühr, A.B./J.A. Gouck, 1980 (memo); Buffalo Color Corporation, MSDS 127-2641 (12/8/97)

E. WATER SOLUBILITY

Value: Insoluble
Temperature: No Data
Description: Miscible []; Of very high solubility [];
Of high solubility []; Soluble []; Slightly soluble [];
Of low solubility [X]; Of very low solubility []; Not soluble [X]
Method: No Data
GLP: Yes [] No [] ? [X]
Reliability: [2] Valid with restrictions
Remarks: Insoluble in water, but will hydrolyze to diacid in presence of water or and cold acid (pH = 5).
Hydrolyzes and forms dibasic salt in cold alkalis (pH=9). Soluble in toluene, acetone, benzene,
naptha, and xylene. Probably soluble in CHCl₃, 1,1,1-Trichloroethylene, ether and cyclohexane.
Reference: Buffalo Color Corporation, 12195; Buffalo Color Corporation, MSDS 127-2641 (12/8/97)

F. pH Value, pKa Value

pH Value: 2.4
Concentration: 10% aqueous solution
Temperature: No Data
Method: No Data
GLP: Yes [X] No [] ? []
pKa value: Not Given
Reliability: [4] Not assignable
Remarks: pH of diacid estimated at approximately 4 by analogy to HHPAA
Reference: FDRL Report of Study 6771F, February 27, 1981.

3. ENVIRONMENTAL FATE AND PATHWAYS

A. PHOTODEGRADATION

No Data

B. STABILITY IN WATER

Not Stable — Will hydrolyze to diacid.

C. BIODEGRADATION

(a)

Type: Aerobic ☒; Anaerobic ☐
Inoculum: Activated Sludge
Concentration: 10 mg/L (test substance)
Medium: No Data
Degradation: 0.0 %
Kinetics: No Data
Method: OECD Guideline 303A
Test Substance: Nadic methyl anhydride (Purity unknown)
Results: Zero percent biodegradation as measured by BOD. Approximately 1.0% biodegradation as measured by TOC. NMA was hydrolyzed to the corresponding acid in the three replicate tests conducted.
Test Conditions: The test substance concentration was 100 mg/L. The activated sludge concentration as the concentration of suspended solid was 30 mg/L. The volume of the test solution was 300 ml. Cultivation temperature was constant at 25 °C for the 28 day duration.
GLP: Yes ☒ No ☐ ? ☐
Reliability: [2] Valid with restrictions
Remarks: Biochemical Oxygen Demand (BOD) was determined and Total Organic Carbon (TOC) was analyzed.
Reference: Report summary cited by the Japan Chemical Industry Ecology-Toxicology Information Center, October, 1992

(b)

Type: Calculated ThOD
Value: ThOD = 1.89 g O₂/g
Method: No Data — Calculated.
GLP: Yes ☐ No ☐ ? ☒
Reliability: [4] Not assignable
Remarks: None
Reference: Buffalo Color Corp., 12195

4. ECOTOXICITY

A. ACUTE/PROLONGED TOXICITY TO FISH

No Data

B. ACUTE TOXICITY TO AQUATIC INVERTEBRATES - DAPHNIA

No Data

C. TOXICITY TO AQUATIC PLANTS • ALGAE

No Data

5. TOXICITY

A. ACUTE TOXICITY

(1) ACUTE ORAL TOXICITY

(a)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Sprague-Dawley Rats • Female and Male
Value: 958 mg/kg (856-1077 CL)
Method: Single undiluted oral dose was administered to 5 rats/sex/dose at doses of 650, 801, 987, 1217 and 1530 mg/kg. OECD Study.
GLP: Yes [X] No [] ? []
Test substance: Undiluted liquid
Reliability: [1] Valid without restrictions.
Remarks: Mortality occurred at all dose levels: One (1) of 5 males and 0 of 5 females at 650 mg/kg; 1 of 5 males and 1 of 5 females at 801 mg/kg; 2 of 5 males and 2 of 5 females at 987 mg/kg; 5 of 5 males and 4 of 5 females at 1217 mg/kg; 5 of 5 males and 5 of 5 females at 1530 mg/kg. All deaths occurred within 6 days post-dosing. Clinical signs in those rats that died included weight loss, blood in urine, and decreased activity. Survivors gained weight normally. Necropsy findings in decedents included dark lungs and blood-like fluid in the intestines.
Reference: Food and Drug Research Laboratories, Study No. 677 1F, 1/20/81.

(b)

Type: LD₀ []; LD₁₀₀ []; LD₅₀ [X]; LD_{L0} []; Other []
Species/strain: Rat
Value: 914 mg/kg
Method: No Data
GLP: Yes [] No [] ? [X]
Test Substance: No Data
Reliability: [4] Not assignable
Remarks: Limited data available. Details of toxic effects not reported.
Reference: NIOSH/RTECS, April 1989, RB 91000

(2) ACUTE INHALATION TOXICITY

Type: LC₀ []; LC₁₀₀ []; LC₅₀ []; LCL₀ []; Other [X]
Species/strain: Sprague-Dawley Rats • Female and Male
Exposure time: 4 hours
Value: 750 mg/m³ (aerosol), lethal level
Method: Modified OECD Limit Test. Five(5) rats/sex were exposed to an aerosol of NMA for 4 hours and observed for 14 days. Toxic signs and body weights were taken periodically and gross autopsies were conducted at termination.
GLP: Yes [X] No [] ? []
Test substance: 90% NMA in ethyl alcohol
Reliability: [2] valid with restrictions:

(2) ACUTE INHALATION TOXICITY (continued)

Remarks: Aerosol concentration was determined gravimetrically. Geometric mean particle size was 3.2 μm with a GSD of 2.1. Ninety-three percent (93%) of particles were less than 10 μm . Three (3) of five males and 5 of 5 females died between 3 and 7 days post-dosing. Toxic signs included labored breathing, nasal discharge, urinary incontinence and bloody urine, cloudy eyes and weight loss. Gross autopsy showed pale organs related to vascular congestion. A parallel study with an ethyl alcohol aerosol produced no effects.

Reference: Food and Drug Research Laboratories, Study No. 677 1F, 3/24/8 1.

(3) ACUTE DERMAL TOXICITY

(a)
Type: LD_0 []; LD_{100} []; LD_{50} [X]; LDL_0 []; Other [1
Species/strain: Ti_F RAI_r rats
Value: 4920 mg/kg (3670-6590 CL)
Method: NMA was applied dermally at doses of 2000, 3000, 4000 and 5000 mg/kg for 24 hours and rats were observed for 14 days post-dosing. Five (5) males and 5 females were used at each dose. Clinical signs and body weights were periodically monitored. At termination of dosing, at 24 hours and periodically thereafter, the skin was carefully examined for adverse reactions.

GLP: Yes [] No [] ? [X]
Test substance: No Data
Reliability: [2] valid with restrictions.
Remarks: Mortality was: 0 of 5 M and 0 of 5 F at 2000 mg/kg; 1 of 5 M and 1 of 5 F at 3000 mg/kg; 2 of 5 M and 1 of 5 F at 4000 mg/kg; and 2 of 5 M and 3 of 5 F at 5000 mg/kg. Clinical signs included a reduction in spontaneous motility, ataxia, eyelid closure, dulled response to pain, and irregular respiration (disappeared in survivors by 5 days post-dosing). On the basis of skin reactions, the authors called NMA a mild skin irritant.

Reference: CIBA-Geigy Laboratory, 9127177.

(b)
Type: LD_0 [X]; LD_{100} []; LD_{50} [I; LDL_0 []; Other [I
Species/strain: New Zealand albino rabbits – male and female
Value: > 2000 mg/kg.
Method: Modification of OECD Limit Test. A single dose (2000 mg/kg) was given dermally to 5 male and 5 female rabbits, allowed to stay on the skin for 24 hours, and the animals were then observed for 14 days post-dosing. Clinical signs and body weights were monitored periodically and gross autopsies were performed upon termination.

GLP: Yes [X] No [] ? []
Test substance: Undiluted NMA
Reliability: [2] valid with restrictions.
Remarks: All rabbits survived and gained weight through 14 days post-dosing. Clinical signs included slight nasal discharge and loss of appetite. Mild skin irritation was noted on several occasions. Necropsies were unremarkable.

Reference: Food and Drug Research Laboratories, Study No. 677 1F, 3/2 1/8 1.

B. REPEATED DOSE TOXICITY (General)

No Data

C. GENETIC TOXICITY IN VITRO

(1) BACTERIAL

No Data

(2) NON-BACTERIAL IN VITRO TEST (CHROMOSOME ABERRATION)

No Data

D. REPRODUCTIVE TOXICITY

No Data

E. DEVELOPMENTAL TOXICITY

No Data

6. TOXICOLOGICAL INFORMATION CHARACTERISTIC FOR CYCLIC ANHYDRIDE CATEGORY

A. CORROSIVENESS/IRRITATION

(1) SKIN IRRITATION/CORROSION

(a)

Type of Test: Primary Irritation
Species/strain: New Zealand albino rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating []; Moderately irritating []; Slightly irritating [X]; Not irritating []
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating [X]; Not irritating []
Method: Draize Test (Modification of OECD test)
GLP: Yes [X] No [] ? []
Test substance: No Data
Reliability: [2] Valid with restrictions
Remarks: On a scale of 8, a 50% suspension in PEG 400 was scored 0.75. No irritation was seen at a
concentration of 6.5%
Reference: FDRL Report of Study 677 1-F, 315182.

(b)

Type of Test: Primary Irritation
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating []; Moderately irritating [X]; Slightly irritating []; Not irritating []
Classification: Highly corrosive (causes severe burns) [];
Corrosive (caused burns) []; Irritating [X]; Not irritating []
Method: Draize Test (Modification of OECD Test)
GLP: Yes [X] No [] ? []
Test substance: No Data
Reliability: [2] Valid with restrictions
Remarks: Undiluted NMA was scored 3.9 on a scale of 8.
Reference: FDRL Report of Study 677 1-F, 3/5/82.

(2) EYE IRRITATION/CORROSION

(a)

Type of Test: Acute Eye Irritation
Species/strain: New Zealand albino rabbit
Results: Highly corrosive [X]; Corrosive []; Highly irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not irritating []; Risk of serious damage to eyes [X]
Method: Draize Test
GLP: Yes [X] No [] ? []
Test substance: No Data
Reliability: [2] Valid with restrictions
Remarks: No wash. 83 on scale of 110 at 72 hours.
Reference: FDRL Report of Study 677 1-F, 2/27/81.

(b)

Type of Test: Acute Eye Irritation
Species/strain: New Zealand albino rabbit
Results: Highly corrosive []; Corrosive []; Highly irritating [];
Irritating [X]; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not irritating []; Risk of serious damage to eyes [X]
Method: Draize Test
GLP: Yes [X] No [] ? []
Test substance: No Data
Reliability: [2] Valid with restrictions
Remarks: 4 second washout. 12-37 on scale of 110 at 72 H.
Reference: FDRL Report of Study 677 1-F, 3/21/81

(c)

Type of Test: Acute Eye Irritation
Species/strain: Rabbit
Results: Highly corrosive []; Corrosive [X]; Highly irritating [];
Irritating []; Moderate irritating []; Slightly irritating []; Not irritating []
Classification: Irritating []; Not irritating []; Risk of serious damage to eyes [X]
Method: Draize Test
GLP: Yes [] No [] ? [X]
Test substance: No Data
Reliability: [2] Valid with restrictions
Remarks: No wash. 67 on scale of 110 at 72 H.
Reference: Ferber, K.H./J.F. Best (letter), 10/10/66

B. SKIN SENSITIZATION

Type: Human
Species/Strain: Human
Results: Sensitizing [X]; Not sensitizing []; Ambiguous []
Classification: Sensitizing [X]; Not sensitizing []
Method: Sensitization Patch Test
Test Substance: No Data
Reliability: [2] Valid with restrictions
Remarks: Thirty four (34) out of 53 human subjects showed skin reactions during induction and at challenge indicating positive evidence of sensitization.
Reference: FDRL, 5/7/82.

C. RESPIRATORY SENSITIZATION

Note: Organic acid anhydrides in general are low molecular weight, reactive molecules that have been associated with mucosal irritation, skin and respiratory sensitization, severe eye irritation and mild to moderate skin irritation. Some of these compounds are corrosive to the eyes. Sensitization has been noted in various studies on both humans and animals; however, no studies were for NMA. By analogy to other acid anhydrides, NMA would be expected to cause respiratory sensitization. Industrial medical surveillance has indicated that NMA causes respiratory sensitization. Symptoms of over-exposure may include rhinitis, conjunctivitis and asthma-like effects. Specific serum IgE and IgG antibodies to a fairly large number of anhydrides have been found in exposed workers.

References: Grammer, et. al, 1994 and 1995 (HHPA); Kanerva, et al., 1997 and 1997; Welinder, 1991 (MHPA)
Welinder, et al., 1990 and 1994 (MTHPA); Buffalo Color Corporation, 1995 (NMA)

Type:	Industrial/Medical Surveillance
Results:	Source: Buffalo Color Corporation A number of customers have advised of complaints of asthmatic reactions to inhaled NMA. Manufacturers have less trouble in this regard probably because of better enclosure and ventilation. Transient eye and lung irritation have occasionally been reported.
Remarks:	Manufactured by Buffalo Color Corporation for a number of years without serious or lasting effects. No special medical surveillance to date. Personal and area monitoring data based on TOC of dust samples as of 1987 indicate compliance with BCC LV and CV with some exceptions. No epidemiology.
Reference:	Buffalo Color Corporation, 12/95

7. REFERENCES

- Buffalo Color Corporation, *Material Safety Data Sheet*, File 127-2641, August 14, 1979*.
- Buffalo Color Corporation, *Material Safety Data Sheet*, File 127-2641, June 26, 1989.
- Buffalo Color Corporation, *Material Safety Data Sheet*, File 127-2641, December 8, 1997*.
- Buffalo Color Corporation, *Occupational and Environmental Health Hazard Summary and Evaluation of Commercial Grade Chemicals: Nadic Methyl Anhydride*, Issue No. 1 (3/78) and 5, (12/95)*.
- Buffalo Color Corporation, Technical Data Sheet, "Anhydrides."
- Ciba-Geigy Laboratory, Basle, Switzerland, *Unpublished Report*, 9/27/77. EPA/OTS, Document 88-920008638, 8/28/92.
- FDRL, *Report of Study 6771-F*, March 24, 1981.
- FDRL, *Report of Study 6771 -F*, March 21, 1981.
- FDRL, *Report of Study 6771-F*, February 27, 1981.
- FDRL, *Report of Study 6771-F*, March 5, 1982.
- FDRL, *Report of Study OE-2471*, May 7, 1982.
- Fuhr, A.B./J.A. Gouck, August 26, 1980 (memo).
- Grammer, L. C. et al., *Hemorrhagic Rhinitis -An Immunologic Disease due to Hexahydrophthalic Anhydride*, Chest 104(6): 1792-1794, 1993
- Grammer, L. C. et al., *Risk Factors for Immunologically Mediated Respiratory Disease from Hexahydrophthalic Anhydride*, J. Occup. Med. 36(6):642-646, 1994
- Japan Chemical Industry Ecology-Toxicology Information Center, *Cited Report Summary*, October, 1992
- Kanerva, L. et al., *Delayed and Immediate Allergy caused by Methylhexahydrophthalic Anhydride*, Contact Dermatitis 36(1):34-38, 1997
- Kanerva, L. et al., *Airborne Allergic Contact Urticaria from Methylhexahydrophthalic Anhydride and Hexahydrophthalic Anhydride* Contact Dermatitis 41(6):339-341, 1999
- Letter, Ferber, K.H./J.F. Best, October 19, 1966. Re: NMA-Biochem. Res.-Product Toxicity*.
- Lonza Inc./Lonza Spa, *Material Safety Data Sheet for Nadic Methyl Anhydride*, 12/8/97
- NIOSH, *RTECNO. RB91000*, April 1989".
- Welinder, H., et al., *Specific Antibodies to Methyltetrahydrophthalic Anhydride in Exposed Workers*, Clin. Exp. Allergy 20(6):639-646, 1990.
- Welinder, H. and Nielsen, J., *Immunologic Tests of Specific Antibodies to Organic Acid Anhydrides*, Allergy 46:601-609, 1991
- Welinder, H. E. et al., *Exposure-Response Relationships in the Formation of Specific Antibodies to Hexahydrophthalic Anhydride in Exposed Workers*, Scand. J. Work Environ. Health 20(6):459-465, 1994